

KILLS TO THE ROOT **Ready to Use**



Keep out of reach of children CAUTION

SPECIMEN LABE

See back panel for Precautionary Statements and First Aid.

NET 1.33 GAL (5L)

Kills weeds NOT lawns

WN WEED KIL

- Kills dandelions, clover, even poison ivy
- Fast acting formula, rainproof in hours

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt0.311%
Mecoprop-p, dimethylamine salt0.075%
Dicamba, dimethylamine salt0.034%
INERT INGREDIENTS:
TOTAL100.000%

THIS PRODUCT CONTAINS:

0.258% 2,4-dichlorophenoxyacetic acid equivalent 0.062% (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent 0.028% 3,6-dichloro-o-anisic acid equivalent Isomer Specific by AOAC Methods. Contains single isomer form of Mecoprop-p.

Warranty

The Distributor warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability of fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Distributor, and Buyer assumes the risk of any such use.

STOP - Read the entire label first. Observe all precautions and follow directions carefully.

What this Preen Product Does

Preen® Lawn Weed Killer contains TRIMEC® turf herbicide, a combination of three proven weed killers - 2,4-D, mecoprop-p, and dicamba. Together they control a wide range of broadleaf weeds commonly found in home (residential) lawns. This ready-to-use herbicide is intended for

Where to Use

Northern Grasses - Kentucky bluegrass, perennial ryegrass and fescues.

spot treatments only. Weeds that have not emerged at the time of application will not be controlled.

Southern Grasses - St. Augustinegrass, centipedegrass, bentgrass, bahiagrass, bermudagrass and zoysiagrass.

Prohibitions

• Do not apply to garden plants, flowers or shrubs.

. Do not use this product on carpetgrass, dichondra, nor on lawns with desirable clovers.

How to Use

Use to spot treat weeds in the lawn. Preen[®] Lawn Weed Killer is designed for easy treatment of small weed patches without mess or trouble and without bending or stooping.

NO MIXING OR POURING - AIM AT WEED AND SPRAY

For best results, use Preen® Lawn Weed Killer when weeds are actively growing. Rainfall or watering soon after application may reduce effectiveness.

PREEN GUARANTEE

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to:

LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042

Preen® is a registered trademark of Lebanon Seaboard Corporation. 9/04 Trimec® is a registered trademark of PBI/GORDON Corporation.





LIFT HERE TO OPEN

94-63709

Booklet Page 4

Booklet Page 1

Weeds

Use Preen® Lawn Weed Killer to kill these troublesome broadleaf weeds

Falseflax

Healall

Hemp

Henbit

Knawel

Kochia

Mallow

Annual yellow Burdock sweetclover Burning nettle Aster Burweed Austrian fieldcress Buttercup Bedstraw Buttonweed Canada thistle Beggarticks Betony, Florida Carolina geranium Bindweed, field Carpetweed Bird vetch Catchweed Bitter wintercress bedstraw Bittercress, hairy Catnip Bitterweed Catsear Black-eyed Susan Chickweed: Black medic common, mouseear Black mustard Chicorv Blackseed plantain Cinquefoil Blessed thistle Clover: crimson. Bloodflower hop, red, milkweed strawberry, Blue lettuce sweet white Blue vervain Cockle Bracted plantain Cocklebur Brassbuttons Common mullein Creeping jenny Bristly oxtongue Broadleaf dock Cudweed Broadleaf plantain Curly dock Broomweed Daisy: English. Buckhorn oxeye Buckhorn plantain Daisy fleabane Bulbous buttercup Dandelion Bull thistle Dichondra Bullnettle Dogbane Burclover Doafennel

Dollarweed Matchweed Elderberry Mexicanweed False dandelion Milk vetch Morningalory False sunflower Mouseear Fiddleneck hawkweed Florida pusley Mugwort Musk thistle Frenchweed Galinsoga Mustard Goathead Narrowleaf plantain Goldenrod Narrowleaf vetch Ground ivv Nettle Gumweed Orange hawkweed Hairy fleabane Oriental cocklebur Hawkweed Oxalis Parslev-piert Heartleaf drvmarv Parsnip Heath aster Pearlwort Hedge bindweed Pennycress Hedge mustard Pennywort Pepperweed Piaweed Pineywoods Hoary cress Hoary plantain bedstraw Hoary vervain Plains coreopsis Horsenettle (tickseed) .limsonweed Plantain Poison ivy Knotweed Poison oak Pokeweed Lambsquarters Poorioe Lespedeza Prairie sunflower Prickly lettuce

Prickly sida Spurweed Prostrate knotweed Stinging nettle Prostrate pigweed Strawberry, India Prostrate spurge mock Prostrate vervain Tall nettle Tall vervain Puncturevine Purslane, common Tansy ragwort Tansy mustard Ragweed Red sorrel Tanweed Redroot plaweed Thistle Trailing crownvetch Redstem filaree Rough cinquefoil Tumble mustard Rough fleabane Tumble pigweed Russian pigweed Velvetleaf Russian thistle Venice mallow Scarlet pimpernel Virginia buttonweed Scotch thistle Virginia creeper Sheep sorrel Virginia pepperweed Shepherdspurse Water pennywort Wavvleaf bullthistle Slender plantain Smallflower Western clematis galinsoga Western salsify Smooth dock White mustard Smooth piqweed Wild aster Wild buckwheat Sowthistle Wild carrot Spanishneedles Wild four-o'clock Speedwell Wild garlic Spiny amaranth Wild geranium Spiny cocklebur Wild lettuce Spiny sowthistle Wild marigold Spotted catsear Wild mustard Spotted spurge Wild onion

Sorrel

Wild parsnip	Wild strawberry	Woodsorrel	Woolly plantain	Yellow rocket	and other
Wild radish	Wild sweet potato	Woolly croton	Wormseed	Yellowflower	broadleaf weeds
Wild rape	Wild vetch	Woolly morningglory	Yarrow	pepperweed	

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried.

For Refill Containers

Preen® Lawn Weed Killer is ready-to-use and is applied directly from the container. Remove the cap from the container and attach the trigger sprayer. Wet the broadleaf weeds thoroughly using short bursts of spray. Excessive spraying can injure some lawns.

Care and Instructions for Trigger Spravers

Operation

1. Remove sprayer from bag

2. Unscrew cap from bottle and remove the foil seal.

3. Making sure that tube is properly inserted through hole in cap, insert tube into bottle and screw on cap.

4. Open spray nozzle approximately one full turn.

5. TO PRIME - With spraver directed at the target area, operate trigger until spray begins (approximately 10 to 15 times). 6. Adjust the spraver nozzle for desired sprav pattern.

Storage of Trigger Sprayer

1. Close spray nozzle.

2. Hook the trigger on or under the bottle handle so that trigger is above the level of contents.

3. To prevent clogging of trigger, remove sprayer from bottle and pump clean water through the hose and trigger

How to Prime and Care for Your Sprayer

1. After shaking product well, remove cap from container and replace with spraver hose and cap assembly. Tighten securely,

- 2. Turn spraver nozzle one half turn counter-clockwise. Hold spraver below the level of container and prime by pumping trigger 10 15 times until product is dispensed. Adjust nozzle to coarse stream.
- 3. To store, turn nozzle to "OFF" position and store with sprayer above level of liquid in container to prevent leakage.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wear goggles when applying this product. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

FIRST AID

IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN Or Clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact (888) 208-1368 for emergency medical treatment advice.

Environmental Hazards

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater.

Storage and Disposal

Pesticide Storage: Keep from freezing. Store in original container in a locked storage area inaccessible to children and domestic animals. Pesticide Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

Distributed by LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042 1-800-233-1067 www.preen.com

DPEN FOR COMPLETE DIRECTIONS FOR USE.

CAS Registry Numbers: 2,4-D, dimethylamine salt CAS# 2008-39-1 Mecoprop-p, dimethylamine salt CAS# 66423-09-4 Dicamba, dimethylamine salt CAS# 2300-66-5

> EPA Reg. No. 2217-585-961 EPA Est. No. 47427-OH-002

SPECIMEN LABEL

PRESS TO RESEAL

Base Label