BRUSH WEED KILLER

KILLS TO THE ROOT

Ready to Use



Keep out of reach of children

See back panel for additional Precautionary Statements.

NET 1.33 GAL (5L)

Starts working within hours

- Kills poison ivy, poison oak, kudzu & woody weedsUse along fences, driveways, patios & homes

ACTIVE INGREDIENTS:		
Dimethylamine Salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid	0.21%	
Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid	0.40%	
Dimethylamine Salt of dicamba: 3,6-dichloro-o-anisic acid	0.07%	
INERT INGREDIENTS:	99.32%	
TOTAL	.100.00%	

 $0.02 \; lbs. \; (+) - (R) - 2 - (2 - methyl - 4 - chlorophenoxy) propionic \; acid \; equivalent \; per \; gallon \; or \; 0.18\%$ 0.03 lbs. 2.4-dichlorophenoxyacetic acid equivalent per gallon or 0.33% 0.01 lbs. 3,6-dichloro-o-anisic acid equivalent per gallon or 0.06%

Isomer Specific by AOAC Methods.

Contains the single isomer form of Mecoprop-p.

Preen ®

RUSH WEED KILLER

KILLS TO THE ROOT

Ready to Use



Keep out of reach of children **CAUTION**

See back panel for additional Precautionary Statements.

NET 1.33 GAL (5L)

Starts working within hours

- Kills poison ivy, poison oak, kudzu & woody weeds
- Use along fences, driveways, patios & homes

ACTIVE INGREDIENTS

Dimethylamine Salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic	acid0.21%
Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid	0.40%
Dimethylamine Salt of dicamba: 3,6-dichloro-o-anisic acid	0.07%
NERT INGREDIENTS:	99.32%
ΓΛΤΔΙ	100 00%

THIS PRODUCT CONTAINS:

0.02 lbs. (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 0.18% 0.03 lbs. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 0.33% 0.01 lbs. 3,6-dichloro-o-anisic acid equivalent per gallon or 0.06% Isomer Specific by AOAC Methods.

Contains the single isomer form of Mecoprop-p.

This page is intentionally left blank.

STOP - Read the entire label first. Observe all precautions and follow directions carefully.

SHAKE WELL - KEEP FROM FREEZING



How to Use This Preen Product

Use Preen® Brush Weed Killer for spot treating over 200 weeds. For best control of the brush and broadleaf weeds listed on the label, spray each plant until it is wet.

This product may be applied in residential or suburban areas including:

- along fences, driveways, parking areas, and roads
- on vacant lots, yards, lawns and fringe areas
- around buildings, patios, houses, and areas associated with household or home life.

For best results, apply when brush and broadleaf weeds are actively growing. Do not water within 24 hours of application.

Be careful not to spray this product in a manner which will allow drift of the spray onto desirable broadleaf plants such as tomatoes, grapes, flowers, ornamental plantings, shrubs, and trees.

Controls

Preen® Brush Weed Killer controls over 200 species of brush, vines, and broadleaf weeds including:

Brush: Ash Aspen	Birch Blackberry Black cherry	Brambles	Cedar Cottonwood Dogwood	Elm Gooseberry Honey locust	Kudzu	Multiflora rose Oak	Poplar Pine Spruce	Sycamore Wild plum Willow
Aspen	Diack cherry	DUCKDIUSII	Dogwood	noney locust	Maple	Oak	Spruce	WIIIOW

PREEN GUARANTEE

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to:

9/04

LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042

Preen® is a registered trademark of Lebanon Seaboard Corporation.

1-800-233-1067 www.preen.com



Booklet Page 4 Booklet Page 1

Broadleaf weeds:

Buttercup Annual yellow sweetclover Buttonweed Aster Canada thistle Austrian fieldcress Carolina geranium **Bedstraw** Carpetweed Beggarticks Catchweed Betony, Florida bedstraw Bindweed, field Catnip Bird vetch Catsear Bitter wintercress Chickweed: Hedge bindweed Bittercress, hairy common, mouseear Bitterweed Chicory Black-eved Susan Cinquefoil Black medic Clover: crimson. Black mustard hop, red, straw-Blackseed plantain berry, sweet, white Hoary plantain Blessed thistle Cockle Bloodflower Cocklebur milkweed Common mullein Blue lettuce Creeping jenny Cudweed Blue vervain Bracted plantain Curly dock Brassbuttons Daisy: English. Bristly oxtongue oxeve Broadleaf dock Daisy fleabane Dandelion Broadleaf plantain Broomweed Dichondra Buckhorn Dogbane Buckhorn plantain Dogfennel Bulbous buttercup Dollarweed Bull thistle Elderberry Bullnettle False dandelion Burclover Falseflax Burdock False sunflower Burning nettle Fiddleneck Burweed Florida pusley

Nettle Orange hawkweed Oriental cocklebur Oxalis Parsley-piert Parsnip Pearlwort Pennycress Pennywort Peppergrass Pepperweed Pigweed Pinevwoods bedstraw Plains coreopsis (tickseed) Plantain Poison ivy Poison oak Pokeweed Poorjoe Prairie sunflower Prickly lettuce Prickly sida Prostrate knotweed Prostrate pigweed Prostrate spurge Prostrate vervain Puncturevine Purslane, common Ragweed Red sorrel Redroot pigweed Redstem filaree Rough cinquefoil

Rough fleabane

Russian pigweed

Russian thistle

Scotch thistle

Sheep sorrel

Smallflower

galinsoga

Sowthistle

Speedwell

Sorrel

Smooth dock

Smooth piaweed

Spanishneedles

Spiny amaranth

Spiny cocklebur

Spiny sowthistle

Spotted catsear

Spotted spurge

Stinging nettle

Spurweed

mock

Tall nettle

Tanweed

Velvetleaf

Thistle

Tall vervain

Tansy ragwort

Tansy mustard

Tumble mustard

Tumble pigweed

Venice mallow

Virginia creeper

Virginia buttonweed

Virginia pepperweed

Shepherdspurse

Slender plantain

Frenchweed

Galinsoga

Goathead

Goldenrod

Ground ivy

Gumweed

Hawkweed

Heathaster

Hoary cress

Hoary vervain

Horsenettle

Jimsonweed

Lambsquarters Lespedeza

Knawel

Kochia

Mallow

Matchweed

Milk vetch

Mouseear

Muawort

Mustard

Mexicanweed

Morningalory

hawkweed

Musk thistle

Narrowleaf plantain

Narrowleaf vetch

Knotweed

Healall

Hemp

Henbit

Hairy fleabane

Heartleaf drymary

Hedge mustard

Water pennywort Wavyleaf bullthistle Scarlet pimpernel Western clematis Western salsify White mustard Wild aster Wild buckwheat Wild carrot Wild four-o'clock Wild garlic Wild geranium Wild lettuce Wild marigold Wild mustard Wild onion Wild parsnip Wild radish Wild rape Wild strawberry Wild sweet potato Wild vetch Strawberry, India Woodsorrel Woolly croton Woolly morningglory Woolly plantain Wormseed Yarrow Yellow rocket Yellowflower Trailing crownvetch pepperweed and other broadleaf weeds

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Use Precautions

- Do not allow spray to drift onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result.
- Avoid fine mist sprays. Coarse spray droplets are less likely to drift and cause damage to nontarget plants.
- Do not spray roots of desirable trees and shrubs.

Warranty

The Distributor warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Distributor, and Buyer assumes the risk of any such use.

94-63739

Booklet Page 2 **Booklet Page 3**

PRESS TO RESEAL

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear goggles when applying this product. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

FIRST AID

IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.		
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.	
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.	

Have the product container or label with you when calling a poison control center or doctor or going for treatment. In case of medical emergency, call toll-free (888) 208-1368.

Environmental Hazards

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. Do not apply when weather conditions favor drift from target area.

Storage and Disposal

Storage: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing. Avoid contamination of food or feedstuffs. Container Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

Distributed by LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042 1-800-233-1067 www.preen.com

OPEN FOR COMPLETE DIRECTIONS FOR USE.

EPA Reg. No. 2217-746-961 EPA Est. No. 47427-OH-002