



## For Seeding Lawns

## CRABGRASS PREVENTER PLUS SEED STARTER FERTILIZER

- Prevents crabgrass without harming new grass seedlings (unlike ordinary crabgrass control products)
- Fertilizes for superior seed germination and growth
- Apply when seeding new lawns, bare spots, or overseeding an existing lawn



**6,000 SQ. FT.** on New Lawns

**3,000 SQ. FT.** on Established Lawns

Net Wt. 15 lbs. (6.80 kg)

Keep out of reach of children CAUTION See back panel for additional Precautionary Statements. DO NOT USE ON BERMUDAGRASS OR CERTAIN BENTGRASS STRAINS (See List on Back)

	VE IN	IGRED	IEMT.
AGIN	V E 11	IUNEU	

Norre inditedient.	
Siduron:1-(2-Methylcyclohexyl)-3-phenylurea*	3.71%
OTHER INGREDIENTS:	96.29%
TOTAL	00.00%

11-23-10



# CRABGRASS PREVENTER SEED STARTER FERTILIZER

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container to the place of purchase at once.

### **Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production or for research purposes.

Preen New Lawn Crabgrass Preventer Plus Seed Starter Fertilizer fertilizes grass and controls crabgrass before it emerges as an unsightly lawn weed. Can be used on newly-seeded areas. It will not harm germination of grass seed.

#### For use on newly-seeded or established plantings of the following grasses:

Bluegrass	Redtop	Perennial Ryegrass	Zoysiagrass
Fescue	Smooth Brome	Orchardgrass	
<b>Bentgrass Stra</b>	ins as follows:		

Penncross Highland Seaside Astoria

Nimisila C-1, C-7 and C-19

Do not use on other bentgrass strains or bermudagrass.

#### Application Instructions

- 1. Rake the lawn to remove leaves and other debris.
- 2. On Established Lawns: Apply at the rate of 5 lbs. per 1,000 sg. ft. (15 lb. bag covers 3,000 sq. ft.). Apply after the 1st or 2nd mowing (usually at the time forsythia blossoms start to fall) in the Spring before crabgrass and other annual grass weeds emerge.
- 3. On Newly-Seeded Areas: Apply at the rate of 21/2 lbs. per 1,000 sg. ft. (15 lb. bag covers 6,000 sq. ft.). Apply immediately after seeding in early Spring before crabgrass and other annual weeds emerge.
- 4. Apply with a fertilizer spreader (see settings on right) to insure even coverage.
- 5. If it does not rain for three days after application, water the treated area thoroughly to get desired results. Timing application just ahead of a predicted rain is ideal.

### Suggested Spreader Settings

Spreader settings below are approximate. Check your spreader on 100 sg. ft. and adjust to apply 4 oz. at 21/2 lb. setting, 8 oz. at 5 lb. setting. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

NOTE: Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 lb. nitrogen per 1.000 sg. ft.

Broadcast Spreaders	Newly Seeded Lawns Setting	Established Lawns Setting	
Agri-Fab® Rotary Cyclone® Rotary Earthway® Rotary Greenview® Jet-Spred® SS1 Lesco® Rotary (dial A-S)/(number dia Red Devil® Rotary (1-20) Republic® Rotary Scotts® EasyGreen®	31/2 4 14 14	5 5 16 16 J /21 5 5 27	$\square$
Scotts <sup>®</sup> EdgeGuard <sup>®</sup> Scotts <sup>®</sup> SpeedyGreen <sup>®</sup> 2000, 3000 Sears <sup>®</sup> Craftsman Rotary Sta-Green <sup>®</sup> Rotary (1-10) True Temper <sup>®</sup> Rotary Vigoro <sup>®</sup> Rotary (1-10)	4 4 3 <sup>1/2</sup> 3 3 3	51/2 51/2 5 5 5 5 5 5 5	<b>V</b>

•														
•					•••	Ξ.	-	•	~	•		•		
•														
•				•••	••	•	• •	• •	•	•				
1														
				•	• •	•	• •		•	•				
•														
•		••••												
•														
														· _
	• • •	••	•••	•	••	• •		•••	•	• •	•	•••	•••	

Apply in a single pass at a rate of  $2^{1/2}$  lbs. (New Lawns) or 5 lbs. (Established Lawns) per 1,000 sq. ft. Start on the outside border and apply in a circular path working toward the center. Overlap the coverage slightly, and shut off spreader before making hard turns.

ഗ

Guaranteed Fertilizer Analysis:
Total Nitrogen (N) 11%
11.0% Ammoniacal Nitrogen
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) 23%
Soluble Potash (K <sub>2</sub> O)
Total Sulfur (S) 5.0%
5.0% Combined Sulfur (S)
Total Iron (Fe)
0.05% Water Soluble Iron (Fe)
Nutrient Sources: Ammonium Phosphate, Ammonium Sulfate, Muriate of Potash,
Ferric Oxide, Ferrous Sulfate. F699
Chlorine (Cl) not more than 9.0%

NOTE: This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

#### Warrantv

The manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to manufacturer, and buyer assumes the risk of any such use.

#### PRECAUTIONARY STATEMENTS **Hazards to Humans and Domestic Animals**

CAUTION Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling.

#### **FIRST AID**

IF SWALLOWED:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF ON SKIN Or Clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF INHALED:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368

#### **Environmental Hazards**

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

#### **Storage and Disposal**

Do not contaminate water, food or feed by storage or disposal.

EPA Reg. No. 961-319

CAS No. 1982-49-6

(L)

EPA Est. 961-PA-01:961-IL-01

Pesticide Storage: Keep in original container in a cool, dry, secured area, away from extreme heat and direct sunlight. Do not store near food, feed, seeds or other pesticides. Store away from children and domestic animals.

Container Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.



Drop Spreaders	Newly Seeded Lawns Setting	Established Lawns Setting	
Agri-Fab <sup>®</sup> Drop Greenview <sup>®</sup> Drop-Spred <sup>®</sup> XP1	4 14	5 15½	
Red Devil <sup>®</sup> Drop (1-5)	3	5	
Republic <sup>®</sup> Drop Scotts <sup>®</sup> Drop AccuGreen <sup>®</sup> (2-18)	5 5	77	
Scotts <sup>®</sup> Drop PF1 (2-18) Sta-Green <sup>®</sup> Drop (1-5)	3 <sup>1/2</sup> 3	6 5	

Apply in a single pass at a rate of  $2^{1/2}$  lbs. (New Lawns) or 5 lbs. (Established Lawns) per 1,000 sq. ft. Start on the outside border and apply in a rectangular path working back and forth across the length of the lawn. Overlap the coverage slightly, and shut off spreader before making hard turns.

If your spreader model does not appear above, go to our website at www.preen.com, or call toll-free (800) 233-1067, 8 A.M. - 5 P.M. EDT, Monday - Friday, for additional model settings.

#### PREEN GUARANTEE

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to:

#### LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET **LEBANON. PA 17042**

7	1-800-233-1067
www.pree	n.com

\*Also known as Tupersan®. Tupersan® is a registered trademark of the Gowen Company.

Preen® is a registered trademark of Lebanon Seaboard Corporation. 11/04

Information regarding the levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

**PROOF OF PURCHASE** 

