

Preen®

WEED PREVENTER
CONTROLADOR DE MALEZAS

Applicator
scoop included.



Stop Weeds
before they start™
for Southern Gardens



NOT FOR USE ON LAWNS

**KEEP OUT OF
REACH OF CHILDREN
CAUTION**

See back panel for First Aid and
additional Precautionary Statements.

ACTIVE INGREDIENT:
Dithiopyr 0.27%
OTHER INGREDIENTS: .99.73%
TOTAL 100.00%

Covers 3000 Sq. Ft.

Net Wt. 12.75 lbs. (5.78 kg)



NOT FOR USE ON LAWNS

**KEEP OUT OF
REACH OF CHILDREN
CAUTION**

See back panel for First Aid and
additional Precautionary Statements.

ACTIVE INGREDIENT:
Dithiopyr 0.27%
OTHER INGREDIENTS: . 99.73%
TOTAL 100.00%

Covers 3000 Sq. Ft.

Net Wt. 12.75 lbs. (5.78 kg)

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.	

Environmental Hazards

This product is toxic to fish. Drift and runoff may adversely affect aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the garden will help to prevent run off to water bodies or drainage systems.

Directions for Use

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

General Information

Preen Weed Preventer prevents most weeds from germinating for up to 4 months in flower beds, and around ground covers, trees and shrubs. Although this product will not kill existing weeds, it will prevent new weeds from sprouting – eliminating the need for difficult and time-consuming hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat and weed-free all season long.

General Precautions and Restrictions

Not for use on plants being grown for sale or other commercial use, or for commercial seed production or for research purposes. For use on plants intended for aesthetic purposes or climatic modifications and being grown in ornamental gardens. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

For Residential and Household Use Only • Not for use on lawns

Only apply Preen Weed Preventer to established ornamental plants listed on this label. Do not apply to plants that are under stress. Do not over-apply or mix this product into the soil, as injury may occur to plants which are sensitive to Preen Weed Preventer. This product is not for use on lawns, or for use in enclosed areas, such as greenhouses. Do not apply another herbicide within 4 weeks of application of this product. Do not apply more than 4.25 lbs. of this product per 1,000 sq. ft. per application, and no more than 12.75 lbs. of this product per 1,000 sq. ft. per year.

In the state of New York, do not apply more than 4.25 lbs. per 1,000 sq. ft. per year. Use of this product in Nassau and Suffolk counties of New York is prohibited.

Entry Restrictions

Do not allow people or pets to enter the treated area until dusts have settled. If product is watered-in, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

Weeds Controlled

Grassy weeds:	Annual	Large,	Dallisgrass	Yellow	Annual,
Barley	Brome	Smooth,	(seedling)	Kikuyugrass	Perennial
Barnyardgrass	Buttercup	Southern	Goosegrass	Oats, Wild	Sandbur
Bluegrass,	Crabgrass:	Crowfootgrass	Foxtail: Green,	Ryegrass:	Smutgrass
Broadleaf weeds:	Carolina	Common	Pineappleweed	Rocket, London	Prostrate,
Bittercress	Henbit	Lambsquarters	Pigweed, redroot	Shepherdspurse	Spotted
Carpetweed	Knotweed	Marestail	Parsely-piert	Speedwell	Woodsorrel:
Chickweed	Prostrate	Medic, Black	Purslane,	Corn Spurge:	Creeping,
Geranium,	Lespedeza	Mustard	Common	Garden,	Yellow

Preen Weed Preventer is recommended around these established plants

Bulbs, Flowers, Herbs, Ground Covers & Ornamental Grasses –

Ajuga: Bronze, Beach Grass	Coreopsis: Moonbeam	Iris: Dwarf blue, Wedgewood	Pampas grass
Bronze Beauty	Corn Flower	Ivy, English: Bulgaria, Thorndale	Pansy
Aster Chinese:	Cotoneaster	Jasmine, Asian	Periwinkle, Dwarf
Dwarf Queen	Daffodil: King Alfred	Lily, African: Lily, African blue	Petunia: Picoti
Basket Flower	Daylily: Aztec Gold, Bright yellow (hybrid), Single gold (evergreen), Wilson's Yellow	Lilyturf: Evergreen giant, Lilac beauty, Majestic, Monroe white, Variegata	Ribbon grass
Bee Balm	Dianthus (Sweet William)	Liriope, Green	Rockcress: Snowcap
Begonia	Delphinium: Magic fountain	Marigold: Honeycomb, Variegata, Wheeler's dwarf	Salvia: Rhea
Black-eyed Susan:	Dusty miller	Mondo Grass	Sedum: Dragon blood red, Red carpet, Yellow
Goldstrum	Fern (various)	Moss Rose: Sunnyside	Snapdragon
Blanket Flower	Fescue	Narcissus	Sweetflag, Grassy-Le
Blue Fescue	Fountain Grass	Osteospermum:	Trumpet flower, Evening
Bugle Carpet	Galium	Wirligig	Tulip: Apeldoorn
Carex, Variegated	Geranium	Pachysandra	Tufted hairgrass
Celosia	Hosta: Albo marginata		Vervain: St. paul
Centaura	Ice plant		Vinca (Periwinkle)
Cockscomb, Plumoso:	Impatiens		Yarrow
Scarlet plumose			
Coleus: Red Kewpie		(Hybrid), Marion lee, Northern lights, Orange cup, Orchid Lights, Snow, Southern charm	Bamboo, Heavenly
Columbine		Azalea, Flame	Barberry: Aurea, Dwarf pigmy, Green, Kobold, Pygmy red, Rose glow
		Azalea, Kirishima	Barberry, Purple:
Shrubs–			Atropurpurea
Abelia, Dwarf: Nana	Buccaneer, Carror,		
Arborvitae: Nigra,	Chimes (Belgian), Elsie lee, Exbury, Fashion,		
Pyramidalis, Smaragh,	Hardijzer Beauty,		
Techny, Woodwardii	Hershey Red, Higasa,		
Arborvitae, Golden	Hinocrimson, Holland		
Azalea: Brilliant,			

Shrubs - (Continued)

Bearberry (common):

Massachusetts

Bottlebrush

Boxwood, Japanese

Boxwood, Weller Broom:

Moonlight, Vancouver Gold

Camellia: Debutante,

Mathotiana Supreme,

Chansonette

Candy Tuft: Snow White

Cedar, Red

Copper Leaf

Coyotebrush

Cycads

Euonymus:

Argenteo-variegata,

Auerec-marginata,

Colorado, Emerald Gaiety,

Emerald ðN Gold, Gold

Edge, Gold Princess, Silver

king, Tricolor, Vegetus

Fetterbush: Rainbow

Forsythia: Arnold Dwarf,

Bronxensis Dwarf,

Lynwood Gold,

Meadowlark, Weeping

Fuchsia

Gardenia: Mystery,

Radicans

Heather, Twisted:

Mediterranean Pink

Hibiscus: Blue bird,

Brilliant, Hula girl

Holly: Blue boy, Blue girl,

Burfodii, China girl,

Compacta, Forsteri,

Hellerie, Japanese

northern beauty,

Needlepoint, Nellie R.

Stevens, Savannah

Holly, Chinese

Holly, Japanese

Holly, Yaupon

Honeysuckle: Claveyís

Dwarf, Halliana, Tatarian

Canadian White, Zebelli

Red Hosta

Juniper: Arcadia,

Armstrong, Bar Harbor,

Blue Chip, Blue Pacific,

Blue Rug, Blue Star,

Broadmoor, Buffalo,

Calgary Carpet, Emerald

Sea, Emerald Spreader,

Endora Compacta,

Fruitlandi, Green, Gold Tip,

Hetzi, Hughes, Manhattan

blue, Parsoni, Pfizeriana,

Plumosa, Prince of

Whales, Procumbens

Dwarf, San Jose, Sargent

Blue, Sargent Green,

Scandia, Scopulorum

Moonglow, Scopulorum

Skyrocket, Spartan,

Tamariscifolia, Weberi,

Youngstown, Yukon Belle

Laurel, Australian

Laurel, Mountain

Leucothoe

Ligustrum, Japanese

Lily of the Valley: Mt. Fire

Myrtle, Crape: Faurei,

Langer, Muskogee,

Standard Pink

Myrtle, Wax

Nandina: Compacta, Nana

Oleander: Hardy Red,

Petite Pink, Sister Agnes

Paper Flower: Barbara

Karst

Photinia, Red tip

Pieris

Pine: Mugho

Pine, Swiss Mt.

Pineapple, Guava

Pittosporum, Japan

Potentilla: Abbotswood

Privet: Golden Vicary,

Regal, Texanum, Wax,

Yellow Tipped

Privet, Glossy

Pyracantha: Gnome,

Lalandei, Victory

Rhododendron: Album,

Cunningham White,

Fashion, Hardy, PJM,

Purple Gem, Silvery Pink

Rhododendron, Carolina

Rhododendron, Catawba

Rodie Max (Rosebay)

Rose: Luta

Rosemary, Bog: Nana

Spiraea: Anthony Waterer

red, Dolchica, Fanail,

Froebeli Pink, Goldenflame

Red, Snowmound White,

Van Houtte White

Spiraea, Garland

Verbena, Shrub

Virburnum: American

Cranberry Bush, Arrowood,

Common snowball,

European cranberry bush,

Linden, Mohican, Wright

Xylosma

Yaupon: Dwarf;

Yew: Denisiformis

Trees –

Almond, Flowering

Ash: Green, Mountain,

Purple

Birch, River

Cypress, Bald

Cypress, Italian: Glauca

Cypress, Japanese false:

Gracilis

Cypress, Leyland

Dogwood

Dogwood, American:

Flaviramiaea

Douglas Fir

Elm, Drake

Fan Palm, European

Fan Palm, Mexican

Ficus

Fir Fraser

Gum

Hawthorn: Cockspur White,

Crimson Cloud,

Enchantress, Jack Evans,

Washington White

Hemlock, Canada

King Palm

Maple, Japanese

Maple, Norway

Maple, Red

Maple, Silver

Maple, Sugar

Oak, Laurel

Oak, Pin

Oak, Red

Oak, Southern L

Oak, Willow

Palm, Bangalow

Pine, Australian

Pine, Japanese Black

Pine, Loblolly

Pine, Longleaf

Pine, Scotch

Pine, Slash

Pine, Virginia

Pine, White

Queen Palm

Sourwood

Spruce: Black Hills

Spruce, Colorado blue

Spruce, Norway

Spruce, White Sweetgum

Sycamore

Tree fern (Tiki fern)

Windmill Palm

Nonbearing Fruit and Nut Trees and Plants –

Apple;

Bearberry: Bluecrop, Blue

Jay, Jersey, North Blue,

Northland

Mock orange: Golden,

Snowflake Double White

Peach

Quince, Japanese

Rosemary

†Ornamental species only: Do not use on food producing trees and ornamentals.

† Ornamental species only: Do not use on food producing trees and ornamentals.

When to Apply Preen Weed Preventer

Apply Preen Weed Preventer anytime during the growing season only around established plants. Preen Weed Preventer should not be used on flower seeds. It can be used after flowering plants have germinated and are 2-3 inches tall. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying Preen Weed Preventer as early as possible, you can eliminate the need for hand weeding. Rain does not wash this product out of the soil. To keep ornamental beds weed-free all season long, reapply Preen Weed Preventer every 4 months.

How to Apply Preen Weed Preventer

To avoid plant injury, do not apply Preen Weed Preventer when foliage is wet. When plants are dry, sprinkle Preen Weed Preventer on soil surface at rate given below. Once activated by watering, Preen Weed Preventer forms a weed control barrier in the top layer of soil, preventing weed seeds from germinating. Disturbance to the soil surface after activation may result in erratic weed control.

Applying Around Established Plants

For flowers, roses, herbs, ground covers, ornamental grasses, shrubs and trees: sprinkle Preen Weed Preventer evenly over the entire soil surface, at the rate of 0.68 oz. per 10 sq. ft. (see picture on right), being sure to keep granules away from plant roots and foliage. Water Preen Weed Preventer into soil surface. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.



Surface application rate
Sprinkle Preen Weed Preventer as shown on soil surface.

Applying Preen Weed Preventer with Mulch

For best weed control, we recommend applying Preen Weed Preventer after spreading mulch on your flower and shrub beds. Sprinkle Preen Weed Preventer on top of mulch at surface rate (see picture above), being sure to keep granules away from plant foliage. Water Preen Weed Preventer into mulch. Always wash or brush stray granules from plant foliage to avoid damage or discoloration.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

CONTAINER DISPOSAL: IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PREEN GUARANTEE

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.

Manufactured by:
Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon, PA 17042



EPA Reg. No. 961-410
CAS No. 97886-45-8

(L) (D)
EPA Est. No. 961-PA-01:961-IL-01
Superscript used is first letter of lot number.

Advertencias

Peligroso para seres humanos y animales domésticos

PRECAUCIÓN

Causa irritación leve en los ojos. Si el producto es ingerido, inhalado o absorbido por la piel puede ser perjudicial. Evite el contacto con los ojos, la piel o la ropa. Además, debe quitarse la ropa inmediatamente si el pesticida entra en contacto con ésta. Luego, lávela completamente y usar ropa limpia. El contacto prolongado o frecuente con la piel puede causar reacciones alérgicas en algunas personas. Lávese las manos antes de comer, beber, utilizar goma de mascar, consumir tabaco o usar el baño.

Instrucciones de uso

Constituye violación de la Ley Federal utilizar este producto de cualquier manera distinta a la estipulada en la etiqueta.

Información general

El CONTROLADOR DE MALEZAS PREEN evita la germinación de la mayoría de las malezas durante 4 meses como máximo en mantos de flores y alrededor de cubiertas vegetales, árboles y arbustos. Aunque este producto no mata las malezas existentes, evitará la germinación de nuevas malezas, lo que elimina la dificultad y la pérdida de tiempo de desmalezar a mano. Sin malezas, sus valiosas plantas podrán crecer más grandes y fuertes. Sus mantos se mantendrán arreglados y libres de malezas durante toda la temporada.

Precauciones y restricciones generales

No lo utilice en plantas que se hayan cultivado para la venta u otro uso comercial, para la producción comercial de semillas ni para fines de investigación. Para uso en plantas destinadas para fines estéticos o modificaciones climáticas y que se estén cultivando en jardines ornamentales. No aplique el producto de ninguna forma que pueda entrar en contacto con personas o mascotas, ya sea de forma directa o indirecta. Mantenga a las personas y mascotas fuera del área en el momento de la aplicación.

Para uso residencial y doméstico únicamente • No apto para uso en céspedes

Aplique el CONTROLADOR DE MALEZAS PREEN únicamente a plantas ornamentales crecidas que se encuentren en la lista de esta etiqueta. No aplique a plantas que estén sufriendo. No aplique en exceso o mezcle este producto con la tierra, dado que puede dañar a las plantas sensibles al CONTROLADOR DE MALEZAS PREEN. Este producto no se debe utilizar en céspedes ni en áreas cerradas, como invernaderos. No aplique otro herbicida dentro de las 4 semanas de la aplicación de este producto.

No aplique más de 1.93 kg de este producto por cada 93 m² por aplicación y no más de 5,8 kg de este producto por cada 93 m² por año.

En el estado de Nueva York, no aplique más de 1.93 kg por cada 93 m² por año. En los condados de Nassau y Suffolk del estado de Nueva York, el uso de este producto está prohibido.

Restricciones de ingreso

No permita que las personas o mascotas ingresen al área tratada hasta que el polvo se haya asentado. Si el producto se riega, no entre ni permita que otros entren en las áreas tratadas (excepto quienes deben regar el producto) hasta que se haya finalizado el regado y la superficie esté seca.

Malezas que controla

Malezas herbosas:

Cebada
capín arroz césped azul
anual

bromus ranunculus

digitalita:
digitalita sanguinalis,
digitalita ischaemum,

digitalita ciliaris
dactyloctenium
aegypticum
pasto miel (plántula)

galium aparine cola de

zorro: setaria viridis,
setaria pumila
césped kikuyu avena

silvestre ballico: anual,
perenne
cenchrus
pasto alambre

Malezas de hoja ancha:

mastuerzo amargo
verdolaga alfombra
pamplina
geranio carolina

ortiga mansa
polygonum, sanguinaria
lespedeza común
quinoa blanca
conya canadensis

medicago lupulina
mostaza
hierba de la piña
amaranto, yuyo colorado
aphanes arvensis

verdolaga
portulaca
oleracea
matacandil
bolsa de pastor

verónica
tártago: euphorbia hirta,
euphorbia supina,
euphorbia maculata;
aleluya: vinagrillo, amarilla

Se recomienda el CONTROLADOR DE MALEZAS PREEN para uso alrededor de plantas crecidas de las especies

Bulbos, flores, hierbas, cubiertas vegetales y céspedes ornamentales:

Ajuga: Bronze, Beach Grass
Bronze Beauty callistephus chinensis: Queen enana; Basket Flower
Bee Balm
Begonia
gallardia aristata
festuca glauca
ajuga reptans
carex halleriana
celosia
centaura
cresta de gallo

Arbustos:

abelia enana: Nana
arborviatae: Nigra, Pyramidalis, Smaragh, Techny, Woodwardii
arborviatae, Golden
azalea: Brilliant, Buccaneer, Carror, Chimes (Belgian), Elsie lee, Exbury, Fashion, Hardijzer Beauty, Hershey Red, Higasa, Hinocrimson, Holland (hibrida), Marion lee, Northern lights, Orange cup, Orchid Lights, Snow, Southern charm
azalea Flame
azalea Kirishima bambú
Heavenly agracejo: Aurea Pigmy enana, Green, Kobold, Pygmy red, Rose glow
agracejo Purple: Atropurpurea
agracejo (común): Massachusetts
calistemus
arbusito madera de Boj japonés y Weller

Plumoso: Scarlet plumose
cóleo: Red Kewpie
Columbine
Coreopsis: Moonbeam
abastrea cotoneaster
narciso: King Alfred
azucena: Aztec Gold, Bright yellow (hibrida), Single gold (perenne), Wilsonis Yellow
clavelina (clavel de San Isidro)
Delphinium: Magic

retama: Moonlight, Vancouver Gold
camelia: Debutante, Mathotiana Supreme, Chansonette
cestillo de plata: Snow White
cedro Red
acalypha
arbuso de coyote cycas
evónimo: Argenteo variegata, Auereo-marginata, Colorata, Emerald Gaiety, Emerald 8N Gold, Gold Edge, Gold Princess, Silver king, Tricolor, Vegetus
ericaceae: Rainbow
Forsitia: Arnold Dwarf, Bronxensis enana, Lynwood Gold, Meadowlark, Weeping
fuchsia
gardenia: Mystery, Radicans
brezo retorcido: Mediterranean Pink
hibisco: Blue bird, Brilliant, Hula girl

fountain
senecio
helecho (diversos)
festuca
peniseto Fountain Grass
galium
Geranio
hosta: Albo marginata
cryptophitum crystalinum
alegría
iris: blueenana, Wedgewood
hiedra: Bulgaria, Thorndale
jazmín asiático

acebo: Blue boy, Blue girl, Burfodii, China girl, Compacta, Forsteri, Hellerie, Japanese northern beauty, Needlepoint, Nellie R. Stevens, Savannah
acebo chino
acebo japonés
acebo yaupon
madreselva: Claveyis enana, Halliana, Tatarian Canadian White, Zebelli
Red Hosta
enebro: Arcadia, Armstrong, Bar Harbor, Blue chip, Blue pacific, Blue rug, Blue star, Broadmoor, Buffalo, Calgary carpet, Emerald sea, Emerald spreader, Endora compacta, Fruittlandi, Green, Gold tip, Hetzi, Hughes, Manhattan blue, Parsoni, Pfitzeriana, Plumosa, Prince of Whales, Procumbens Enana, Sacro, Sargent Blue, Sargent Green, Scandia,

agapanto: agapanto azul
liriope: perenne gigante, Lilac beauty, Majestic, Monroe white, Variegata
liriope verde
caléndula: hierba Mondo
portulaca grandiflora: Sunnyside
narciso
osteospermum: Wiriligid
pachysandra
pasto de las pampas
pensamiento
vinca enana

Scopulorum Moonglow, Scopulorum Skyrocket, Spartan, Tamariscifolia, Weberi, Youngstown, Yukon Belle
laurel australiano
laurel de montaña
Leucothoe
Ligustro japonés
lirio del valle: Mt. Fire
árbol de Júpiter: Faurei, Langer, Muskoguee, Standard King
morella cerifera nandina: Compacta, Nana
adelfa: Hardy Red, Petite Pink, Sister Agnes
Buganvilla: Barbar Karst
Fotinia de punta roja
Pieris
pino: Mugho
pino de montaña
piña, guayaba
pitosporo japonés
potentilla: Argenteo wood
ligustro: Golden Vicary, Regal, Texanum, Wax, Yellow Tipped
ligustrum lucidum

petunia: Picoti
phalaris arundinacea
jaramago: Snowcap
salvia: Rhea
sedum: Dragon blood red, Red carpet, Yellow
Snapdragon
acorus Grassy-Le
madreselva Evening
tulipán: Apeldoorn
deschampsia cespitosa
verbena: St. paul
vinca (Periwinkle)
milenrama

piracanta: Gnome, Lalandei, Victory
rododendro: Album, Cunningham White, Fashion, Hardy, P.J.M., Purple Gem, Silvery Pink;
rododendro Carolina
rododendro Catawba
rododendro maximum (rosebay)
rosa: Luta
andromeda polifolia: Nana
espirea: Anthony Waterer red, Dolchica, Fanail, Froebeli Pink, Goldenfame Red, Snowmound White, Van Houtte White
espirea garland
arbuso verbena viburno: American Cranberry Bush, Arrowood, Common snowball, European cranberry bush, Linden, Mohican, Wright
xylosma
yaupon: enano
tejo: denisiformis

Árboles:

almadro de flor fresco:
Green, Mountain, Purple
abedul: River
ciprés calvo
ciprés italiano: Glaucia
ciprés japonés falso:
Gracilis
ciprés de Leyland comejo
cornejo de flor:
Flaviramaea
abeto Douglas

olmo Drake
palma de hojas en abanico europea
palma de hojas en abanico mejicana
ficus
abeto Fraser
caucho
hawthorn: Cockspur White, Crimson Cloud, Enchantress, Jack Evans,

Washington White
abeto Hemlock de Canadá
palma alejandra
arce japonés
arce Noruega
arce rojo
arce plateado
arce azucarero
roble laurel
roble de los pantanos

roble rojo
roble de Virginia
roble sauce
palmera de Cunningham
pino australiano
pino negro japonés
pino de incienso
pino palaustra
pino escocés
pino resinoso
pino de Virginia

pino blanco
palmera reina
oxydendrum arboreum
picea: glauca, var. densata
picea azul de Colorado
picea de Noruega
picea blanca liquidámbar
sicomoro
helecho arbóreo (tiki)
palma de Fortune

Árboles y plantas sin frutos:

manzana, arándano:

Bluecrop, Blue Jay, Jersey, North Blue, Northland

celinda: Golden, Snowflake

Double White

durazno

membrillo japonés

romero

† Únicamente especies ornamentales: No utilizar en árboles y ornamentales comestibles.

Cuándo aplicar el CONTROLADOR DE MALEZAS PREEN

Aplique el CONTROLADOR DE MALEZAS PREEN en cualquier momento durante la temporada de crecimiento alrededor de plantas crecidas. El CONTROLADOR DE MALEZAS PREEN no se debe utilizar en semillas de plantas florales. Se puede utilizar después de que las plantas en flor hayan germinado y tengan de 5 a 7,6 cm de alto. Dado que no mata las malezas existentes, deberá quitar primero cualquier maleza que haya comenzado a crecer. Al aplicar el CONTROLADOR DE MALEZAS PREEN cuanto antes, podrá evitar tener que desmalezar manualmente.

La lluvia no elimina este producto del suelo. Para mantener los mantos ornamentales libres de malezas en toda la temporada, vuelva a aplicar el CONTROLADOR DE MALEZAS PREEN cada 4 meses.

Cómo aplicar el CONTROLADOR DE MALEZAS PREEN

Para evitar daños en las plantas, no aplique el CONTROLADOR DE MALEZAS PREEN cuando el follaje esté mojado. Cuando las plantas estén secas, rocíe el CONTROLADOR DE MALEZAS PREEN sobre la superficie del suelo según las proporciones que se indican más abajo. Una vez que se haya activado mediante el riego, el CONTROLADOR DE MALEZAS PREEN forma una barrera de control contra malezas en la capa superior del suelo, lo que evita que las semillas de malezas germinen. La alteración de la superficie del suelo después de la activación puede tener como resultado un control irregular de las malezas.

Aplicación alrededor de plantas crecidas

Para flores, rosas, hierbas, cubiertas vegetales, céspedes ornamentales, arbustos y árboles: esparza uniformemente el CONTROLADOR DE MALEZAS PREEN en toda la superficie del suelo en una proporción de 19,3 g cada 1 m² (ver imagen debajo), asegurándose de mantener los gránulos alejados de las raíces y el follaje de las plantas. Riegue el CONTROLADOR DE MALEZAS PREEN para que penetre en la superficie del suelo. Lave siempre o limpie los gránulos sueltos del follaje de la planta para evitar daños o la decoloración.



Proporción de aplicación en la superficie
Esparza el CONTROLADOR DE MALEZAS PREEN en la superficie del suelo como se muestra.

Aplicación del CONTROLADOR DE MALEZAS PREEN con compuesto orgánico

Para lograr un mejor control de las malezas, recomendamos aplicar el CONTROLADOR DE MALEZAS PREEN después de esparcir compuesto orgánico en los mantos de flores y arbustos. Esparza el CONTROLADOR DE MALEZAS PREEN sobre la capa de compuesto orgánico según la proporción de la superficie (consulte la imagen que se encuentra a la derecha), asegurándose de mantener los gránulos alejados del follaje de las plantas. Riegue el CONTROLADOR DE MALEZAS PREEN para que penetre en el compuesto orgánico. Lave o quite siempre los gránulos sueltos del follaje de la planta para evitar daños o la decoloración.

almacenamiento y eliminación de desechos

No contamine el agua, los alimentos o el forraje al almacenar o desechar.

ALMACENAMIENTO DEL PESTICIDA: guarde el producto en su envase original en un lugar fresco y seco cerrado, fuera del alcance de los niños y los animales. **ELIMINACIÓN DEL ENVASE: SI ESTÁ VACÍO:** el envase no se puede volver a utilizar. No lo reutilice ni rellene. Colóquelo en la basura u ofrézcalo para reciclaje, si es posible. **SI ESTÁ PARCIALMENTE LLENO:** llame la agencia local de eliminación de desechos sólidos para recibir instrucciones de eliminación. Nunca vierta el producto sin utilizar en un desagüe de interiores o exteriores.

Primeros auxilios

Para los ojos:

- Mantenga el ojo abierto y enjuague lenta y suavemente con agua entre 15 y 20 minutos.
- Si tiene puestos lentes de contacto, retírelos dentro de los primeros 5 minutos y siga enjuagándose los ojos.
- **Llame a un centro de control de tóxicos o a un médico para obtener asesoramiento sobre el tratamiento.**

Si se ingiere:

- Llame inmediatamente a un centro de control de tóxicos o a un médico para obtener asesoramiento sobre el tratamiento.
- Haga que la persona tome agua, si puede tragar.
- No induzca el vómito, a menos que se lo indique un médico o el centro de control de tóxicos.

Si entra en contacto con la piel o la ropa:

- No administre nada por vía oral a una persona inconsciente.
- Quite la ropa contaminada.
- **Enjuague inmediatamente la piel con abundante agua entre 15 y 20 minutos.**

Si se inhala:

- Llame a un centro de control de tóxicos o a un médico para obtener asesoramiento sobre el tratamiento.
- Lleve a la persona a tomar aire fresco.
- Si la persona no respira, llame al 911 o a una ambulancia, luego administre respiración artificial, preferentemente boca a boca, si es posible.

Llame a un centro de control de tóxicos para obtener asesoramiento adicional sobre el tratamiento. Tenga a mano el envase del producto o la etiqueta cuando llame al centro de control de tóxicos o al médico, o cuando vaya a recibir tratamiento. Para obtener información médica de emergencia, llame al (888) 208-1368.

Peligros para el medio ambiente

Este producto es tóxico para los peces. El sedimento y el residuo líquido pueden perjudicar a los organismos acuáticos. No aplique directamente en el agua, en las áreas donde existe agua superficial o en áreas entre mareas alta y baja por debajo de la pleamar media. No contamine el agua que quede después de lavar el equipamiento utilizado para aplicar el producto.

Garantía Preen

Lebanon Seaboard Corporation le garantiza que, si usted no queda satisfecho con el producto luego de utilizarlo como se indica, se le reembolsará su dinero. Si no queda satisfecho, haga una descripción de la naturaleza del problema y envíela con el comprobante de compra a Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042

El fabricante no otorga garantías, expresas ni implícitas, relacionadas con este producto o con su uso, que amplíen la descripción del presente documento. Todas las declaraciones hechas relacionadas con este producto se aplican solamente cuando se utiliza según las instrucciones.

Peso neto: 5,78 kg (12,75 lbs)

Rinde 279 m²

CONTROLADOR DE MALEZAS PREEN

Mantenga fuera del alcance de los niños.

PRECAUCIÓN

Ingrediente activo:

ditiopir 0,27%

Otros ingredientes:..... 99,73%

Total..... 100,00%

Esparza alrededor de flores, árboles y arbustos

No apto para uso en céspedes