


Preen

MULCH PLUS

Color Lasts **ALL** Year Guaranteed!

Preen

MULCH PLUS



WITH **WEED BARRIER**™
TECHNOLOGY*
BLOCKS WEEDS*
FOR **6 MONTHS**

FOR **6 MONTHS**
BLOCKS WEEDS*

*SEE USE DIRECTIONS FOR COMPLETE LIST OF TREATED WEEDS.

MULCH PLUS

Preen

Color Lasts **ALL** Year Guaranteed!


RUSSET RED MULCH

DO NOT USE THIS MULCH AROUND FOOD PRODUCING FRUIT OR NUT TREES, VEGETABLES, HERBS, OR OTHER EDIBLE FOOD PLANTS.
NO USE ESTE COMPUESTO DE MATERIALES NATURALES CERCA DE ÁRBOLES FRUTALES O DE FRUTOS QUE PRODUZCAN ALIMENTOS, NI DE VERDURAS, HIERBAS U OTRAS PLANTAS COMESTIBLES.

*SEE USE DIRECTIONS FOR COMPLETE LIST OF TREATED WEEDS.

ACTIVE INGREDIENTS:
Trifluralin..... 0.0032%
Isoxaben..... 0.0008%
OTHER INGREDIENTS: . . . 99.9960%
TOTAL..... 100.0000%

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back panel for First Aid and additional Precautionary Statements.



COVERS 12 SQ. FT.

NET CONTENTS 2 CU. FT. (56.63L)



WITH
**WEED
BARRIER™**
TECHNOLOGY*
BLOCKS WEEDS*
FOR **6 MONTHS**

Color Lasts **ALL** Year Guaranteed!

RUSSET RED MULCH

DO NOT USE THIS MULCH AROUND FOOD PRODUCING FRUIT OR NUT TREES, VEGETABLES, HERBS, OR OTHER EDIBLE FOOD PLANTS.

NO USE ESTE COMPUESTO DE MATERIALES NATURALES CERCA DE ÁRBOLES FRUTALES O DE FRUTOS QUE PRODUZCAN ALIMENTOS, NI DE VERDURAS, HIERBAS U OTRAS PLANTAS COMESTIBLES.

*** SEE USE DIRECTIONS FOR COMPLETE LIST OF TREATED WEEDS.**

ACTIVE INGREDIENTS:

Trifluralin..... 0.0032%

Isoxaben..... 0.0008%

OTHER INGREDIENTS: . . . 99.9960%

TOTAL..... 100.0000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for First Aid and additional Precautionary Statements.



COVERS 12 SQ. FT.

NET CONTENTS 2 CU. FT. (56.63L)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Harmful if swallowed or inhaled. Avoid prolonged contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals. Wash thoroughly with soap and water after handling. If product gets on clothes, wash before reuse.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-888-208-1368 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

The active ingredients in this product are highly toxic to fish and other aquatic organisms including oysters and shrimp. Use with care when applying to areas adjacent to any body of water. Runoff from treated areas may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container to the place of purchase at once.

PRODUCT INFORMATION

This landscaping product contains a premium quality mulch such as Hardwood, Pine and Cypress or combination there of together with two long-lasting preemergence herbicides. One application of Preen Mulch with Extended Control Weed Preventer provides 6 months control of broadleaf weeds* and annual grasses in flower and ornamental beds. Plus it helps landscaped areas retain moisture - protecting your plants, trees and shrubs from extreme temperatures. Preen Mulch with Extended Control Weed Preventer provides increased weed* control when used as directed.

PRODUCT RESTRICTIONS

WEAR GLOVES WHEN HANDLING

Do not apply near fish pools, ponds, streams, or lakes.

For use **ONLY** on ornamental species. Use only on established ornamental plants.

FOR OUTDOOR RESIDENTIAL USE.

Do not use on vegetable gardens.

DO NOT USE THIS MULCH AROUND FOOD PRODUCING FRUIT OR NUT TREES, VEGETABLES, HERBS, OR OTHER EDIBLE FOOD PLANTS.

Do not apply Preen Mulch with Extended Control Weed Preventer on the following plant species or injury may result:

Acanthus, oak leaf	Burning bush, dwarf	Cranesbill, ballerina	Lingwort, Bertram Anderson	Rhododendron:	Stoncrop
Baby's breath, white festival	Cajeput tree	Foxglove	Mustard	Carolina, Roseum, elegans	Yucca, green
Bleeding heart, luxuriant	Candytuft	Hydrangea	Periwinkle, wine	Sandwort, mountain	
Bugle	Coneflower, purple	Juniper, Prince of Wales	Phlox, summer	Spurge	

Weeds Controlled and/or Suppressed

Annual Grass Weeds:

Barley, hare	Cheat	Foxtail, yellow	Lovegrass	Sandbur, field	Stinkgrass
Barnyardgrass	Crabgrass	Goosegrass	Oat, wild	Shattercane	Swinecress
Bluegrass, annual	Cupgrass, Southwestern	Johnsongrass (seedling)	Panicum	Signalgrass	Witchgrass
Bromegrass	Fescue, rattail	Junglerice	Ryegrass, annual	Sprangletop, mexican	

Broadleaf Weeds:

Aster	Dandelion	Henbit	Morningglory	Pusley, Florida	Sweetclover
Bindweed, field	Datura	Horseweed	Mustard	Radish, wild	Tansymustard
Bittercress	Dock, common	Jimsonweed	Nettle	Ragweed	Telegraphplant
Brassbuttons, Southern	Dogfennel	Knotweed	Nightshade, black	Rocket, London	Thistle
Burclover, California	Elipta	Kochia	Oxtongue, bristly	Rockpurslane	Turkey mullein
Bursage, annual	Eveningprimrose	Ladysthumb	Pennywort	Shepherdspurge	Velvetleaf
Carpetweed	Fiddleneck, coast	Lambsquarter	Pepperweed, Virginia	Sibara	Willoweed, panicle
Carrot, wild	Filaree	Lanceleaf groundcherry	Phyllanthus, long-stalk	Sida, prickly	Woodsorrel
Celery, wild	Fireweed	Lettuce, prickly	Pigweed	Smartweed, Pennsylvania	
Chamberbitter	Fleabane	Mallow	Pimpernel, scarlet	Sorrell, red	
Chickweed	Galinsoga, hairy	Marestail	Pineappleweed	Sowthistle	
Clover, white	Geranium, Carolina	Mayweed	Plantain	Speedwell	
Cudweed, purple	Goosefoot, nettleleaf	Medic, black	Pokeweed	Spurge	
	Groundsel	Milkweed, honeyvine	Purslane	Sunflower	

WHEN TO APPLY

This mulch contains preemergent herbicides and for best results, remove all weeds in the beds prior to applying Preen Mulch with Extended Control Weed Preventer. Apply in the spring and fall after renovating beds. For best results, apply Preen Mulch with Extended Control Weed Preventer after flowers and ornamentals have been planted into the soil. Do not apply over flower seeds.

HOW TO APPLY

Bulbs and Perennials — Spread Preen Mulch with Extended Control Weed Preventer over the area to a depth of two inches. **Do not plant flowers directly into mulch.** If additional planting is desired after Preen Mulch with Extended Control Weed Preventer has been applied, first remove the mulch from the selected area. Avoid getting treated mulch in the planting hole. Once the plant is firmly embedded in the soil, replace the mulch around the plant. **Annuals** — After plants have been set in the soil bed, spread Preen Mulch with Extended Control Weed Preventer over the area to a depth of two inches. Make no more than one application per site per year. The active ingredients in Preen Mulch with Extended Control Weed Preventer can cause injury to some annuals. If you have a concern about damage to your annuals, do not use this product.

PREEN MULCH WITH EXTENDED CONTROL WEED PREVENTER IS SUGGESTED FOR USE AROUND THESE ESTABLISHED PLANTS

Bulbs, Flowers, Ground Covers & Ornamental Grasses –

Amaryllis
Angel's hair
Astilbe, Deutschland
Aster: China, New England, New York
Banana, Red abyssinian
Bee balm
Begonia: Heartleaf, White ambassador
Bidens, Peter's Gold
Blackeyed Susan
Blanket flower
Busy Lizzie
Cape weed
Carex, Variegated
Chrysanthemum
Clematis, Blue bell
Coral bells

Coreopsis, Threadleaf
Cranesbill
Creeper, Virginia
Daffodil
Dahlia, Dwarf Wendy Pink
Daisy: Angelita, Freeway, Gold coin, Paris, Swan River New
Daylily
Descampsia
Dianthus, Crimson
treasure cheddar pink
Dusty miller/Silver ragweed
Euryops, Dwarf
Fern
Fescue, Blue
Fuschia, Santa Claus
Garlic, Society

Gay feather
Gazania
Geranium: Ivy, Zonal
Gladiolus (corms more than 1" in diameter)
Grass: Beech, Crimson fountain, Dwarf mondo, Dwarf umbrella, Eulalia, Fountain, Mondo, Pampas, Gubon
Hakonechloa, Golden
Heather: False, Mexican
Honeysuckle, Japanese
Horsetail, Dwarf
Hosta, Albo-marginata
Hyacinth
Iceplant: Largeleaf, Trailing, Trailing rosea, White

Iris: African, Bulbous, Blue Siberian, Yellow dwarf bearded
Ivy: Algerian, English
Jasmine: Angelwing, Asian
Licorice plant, White
Lily: Fortnight, Francee plantain, Patriot plantain, Peruvian, Kafir
Lily turf: Big blue, Green/creeping, Lilac beauty, Majestic, Monroe white, Silvery sunproof, Variegated liriopae, White
Lily-of-the-Nile
Lisianthus, Pink
Lobelia
Loosestrife, Dotted
Marigold, Little hero
Mexican hat
Narcissus

Palace purple
Penstemon: Apple Blossom, Hartwig
Periwinkle: Bigleaf, Dwarf, Madagascar
Petunias, Garden
Plumbago, Dwarf
Primrose, Siskiyou evening
Rosemary
Ruella, Dwarf Katie
Sage: Graham's, Mexican bush, Russian
Snapdragon
Snow in summer
Spurge, Japanese
St. Johnswort
Star cluster
Statice

Stock
Stonecrop (*Sedum*): Autumn joy, Vera jameson
Sweet alyssum
Teatree, Broom
Tulip
Verbena, St. Paul
Wallflower
Yarrow, common
Yucca, Red
Zinnia, Dwarf

Shrubs –

Abelia: Edward Goucher, Glossy
Acacia: Abyssinica, Prostrate, Shoestring
Almond, Dwarf pink flowering
Aptenia, Red apple
Aralia, Japanese
Arborvitae: Aureus nobadwarf golden, Emerald, Globosa-globe, Little giant-dwarf, Minima glauca-dwarf, Nigra-dark American, Pyramidalis, Rheingold, Techny, Woodwardii
Azalea: Blue danube, Cannon's double, Carror, Coral bells, Fashion, Flame, Formosa, Gerard Christina, Gerard Roberta, Golden flare, Golden flare exbury, Gumbo pink, Helmut vogel, Hersey red, Higasa, Hino crimson, Hino pink, Hot shot, Hume, Inga, Irene Koster, Klondike, Mildred, President Clay, Reijn, Snow, Tradition, Waucabusa
Bamboo: Compacta-dwarf heavenly, Harbour dwarf-heavenly, Heavenly bamboo (Nandina), Nana-compacta-heavenly, Nana purpurea-heavenly, Woods dwarf heavenly
Barberry: Atropurea-redleaf Japanese, Aurea-golden Japanese, Cherry bomb, Crimson pygmy, Mentor, Rose glow, William Penn
Bluebeard, Dark knight

Bottlebrush: Lemon, Weeping
Bougainvillea: Barbara Karst, California gold, Pink pixie, Scarlet O'Hara, Temple fire, Texas dawn
Boxwood: Common, Green velvet, Japanese, Korean
Broom: Hollandia-Scotch, Hollandia-warminster, Lena-Scotch
Brush cherry, Dwarf
Camellia
Cassia, Feathery
Century plant
Cinquefoil (*Potentilla*): Gold Drop, Goldfinger, Red Ace, Spring, Sunset, Tangerine
Cleyera, Japanese
Cotoneaster: Bearberry, Cranberry, Himalayan, Praecox-early, Pyrenees, Rock
Coyotebush
Cranberry Bush/Dwarf
Cranberry Bush
Cypress: Filifera-thread, Kosteri, Nana-dwarf Hinoki, Squarrosa Minima, Torulosa
Daphne, Fragrant
Deutzia, Nakiana-dwarf
Dogwood: Baileyi, Baileyi-red-osier, Flaviramea, Flaviramea-yellowtwig,
Sibirica-Siberian
Euonymus: Canadale gold, Chollipo,

Emerald'n gold, Gold spot, Silver king, Spreading, Sunspot, Variegated evergreen
Euryops, Dwarf
Fern: Tassel, Japanese painted
Forsythia: Border, Spring glory
Fringe Flower
Gardenia: August beauty, Mystery, Radican
Gracilis, Slender
Heather: Cornish, Purple bell, Mediterranean pink, Spring torch scotch
Hibiscus, Ross Estey
Holly: Balkans, Blue boy, Blue girl, Burford, China boy, China girl, Compacta-compact inkberry, Compacta-dwarf Japanese, Convexa, Dwarf Burford, Dwarf Chinese, Ebony magic, Gold coast, Green luster, Helleri-Heller's Japanese, Hetzii's Japanese, Nana-dwarf yaupon, Needle point, Nordica-inkberry, Pendula-weeping yaupon, San Jose, Savannah, Stokesii Japanese, Yaupon
Honeysuckle: Cape, Trumpet, Winter
Hopseed bush
Ixora
Jessamine, Carolina
Juniper: Andorra, Bar Harbor, Blue,

Blue chip, Blue rug, Blue star, Broadmoor, Creeping, Dwarf Andorra, Emerald green, Emerald sea shore, Foemina-Hicks, Hollywood, Huntington, Media-old gold, Nana-dwarf blue Japanese garden, Parsonii, Pfitzer, Pfitzerana glauca-blue, Pfitzerana-pfitzer, Plumosa-Andorra, Prostrata, Savin, Sea green, Shore, Tamariscifolia-Tam, Torulosa-hollywood, Wiltonii-blue carpet
Lantana
Laurel, Mountain
Lavender: English, English spike
Leaf: Copper, Salal/lemon
Leucothoe: Coast, Drooping
Lilac: Common, Chinese, Wild
Lily-of-the-Nile, Queen Anne
Lily-of-the-Valley: Forest flame, Mountain fire, Snowdrift, Temple bells, Valley rose, Valley valentine
Mahonia: Creeping, Dwarf Oregon grape, Leather leaf
Mallow, Cape
Maple: Amur, Coral bark Japanese, Dwarf Japanese
Marguerite, Blue
Marlberry, Chirimen
Morning glory, Bush
Myrtle: Crape, Wax
Nightshade, Paraguay

Oleander: Hardy red, Ruby lace
Osmanthus, Fortunes
Palm: Areca, Chinese fountain, Christmas, Pigmy fate, Sago
Photinia, Fraser's
Pine, Mugo-mugho
Pink breath of heaven
Pittosporum: Green, Wheeler's dwarf
Plumbago
Privet (Ligustrum): Japanese, California, Glossy, Golden, Howardi, Lodense, Vicary golden, Wax, Wax leaf, Yellow tip
Pyracantha: Lolendei Monrovia, Monon, Red elf hybrid, Rutgers hybrid, Santa Cruz, Victory
Rhaphiolepis: Charisma-Monruce, Enchantress-Moness, India Hawthorn, Roundleaf, Springtime-Monme
Rhododendron: America, Butterfly, Catawba, Catawba album, Chionoides, Cunninham white, Daphnioides, Dwarf scarlet wonder, Elizabeth, English Roseum, Gomer Waterer, Jean Marie, Lord Roberts, Nova Zembla, PJM, Purple gem, Ramapo, Rocket, Rhodie Max (rosebay), Scintillation, Tribly, Unique, Vulcan
Rose, Ramanas
Rose of Sharon: Aphrodite, Helene,

Red bird, Red heart, Woodbridge
Silver berry, Fruitland
Skimmia: Japanese, Reeve's
Smoke Tree: Royal purple, Coral beauty, Eichholz
Spiraea: Astilbe/False, Anthony Waterer, Bridal wreath, Dolchia, False, First snow, Japanese alpine, Shirobana
Spurge, Japanese
Sumac, African
Summersweet
Sweet Pea Shrub
Sweetspire, Henry Garnet holly leaf
Tea tree, New Zealand
Ternstroemia, Japanese
Viburnum: Common snowball, David, Doublefile, Koreanspice, Pink dawn, Spring bouquet, Tea
Wayfaring tree
Weigela: Bristol ruby, Java red, Minuet
Wintercreeper, Bigleaf
Woodwaxen
Woodbine: Flowering, Serotina
Xylosma
Yew: Japanese, Plum
Yewpine
Yucca

Trees –

Ash, Shamel
Birch: Paper, River
Bottle tree
Carrot wood
Cherry, Yoshino flowering
Coolibah tree
Cottonwood
Cryptomeria, Japanese
Cypress: Arizona, Emerald island leyland, Filicoides-fernspray, Gracilis-slender Hinoki, Italian,

Squarrosa-moss, Sawara-false
Dogwood: Cloud nine, Flowering
Elm, Chinese
Eucalyptus: Mealy, Redgum, Red ironbark, Silver dollar
Ficus/Mini-Ficus
Fir: Balsam, White
Florida anise-tree
Ginkgo (Maidenhair tree)
Hawthorn, Green
Hemlock, Eastern

Locust: Honey, Shademaster honey
Magnolia, Southern
Mahogany
Maple: Albus-flowering, Flame, Luteus-flowering, Red, Red Sunset, Roseus-flowering, Silver, Tangerine-flowering, Vesuvius red-flowering
Mesquite, Chilean
Mulberry, White
Oak: Bear, Live, Pin, Red, Willow

Palm: Cat, Mexican Fan, Parlor, Queen
Pine: Austrian Black, Beach, Bosnian, Bristlecone, Canary Island, Columnar Scotch, Eastern white, Eldarica, Japanese black, Monterey, Pumilio-shrubby swiss mountain, Scotch, Shore, White
Podocarpus
Redbud
Redcedar, Eastern

Sequoia, Giant
Sourwood
Spruce: Conica-dwarf Alberta, Dwarf Alberta, Dwarf globe blue, Glauca-Colorado blue, Hoopsii-Hoop's blue, Koster-Koster blue, Norway, Pendula-weeping Norway, Repens-spreading Norway
Sweetgum, American
Strawberry, Gilt edge
Sycamore: American, California

Tab, Yellow
Toyon
Tree Fern: Australian, Tasmanian
Willow: Babylon weeping, Corkscrew

Non-bearing Fruit and Nut Trees and Non-bearing Vineyards* –

Almond
Apple
Apricot
Avocado
Banana
Blackberry

Blueberry
Boysenberry
Carob
Cherry: sour, sweet
Currant
Dewberry

Elderberry
Fig
Filbert
Gooseberry
Grape: American, European
Grapefruit

Kiwi
Lemon
Loganberry
Macadamia nut
Nectarine
Olive: Black, Russian

Orange
Peach
Pear
Pecan
Pistachio
Plum

Pomegranate
Prune
Raspberry
Walnut: black, English

* Do not apply to fruit, nut or grape vineyard, which will bear fruit, within 1 year after application of Preen Mulch with Extended Control Weed Preventer.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store this product only in its original container in a cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and to the extent consistent with applicable law, Buyer assumes the risk of any such use.

PREEN® GUARANTEE

To the extent consistent with applicable law, Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to: Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

Preen® is a registered trademark of Lebanon Seaboard Corporation.

EPA Reg. No. 961-408-79631

Trifluralin CAS No. 1582-09-8

Isoxaben CAS No. 82558-50-7

NET CONTENTS: 2 CU. FT. (56.63L)

NET WEIGHT 30 LBS. (13.608 KG)

COVERS 12 SQ. FT.

Fill is by volume. Some settling may occur during shipment.

Mulch Ingredients: Processed forest products.

*See Use Directions for complete list of treated weeds.

Distributed by:

Oldcastle Lawn & Garden, Inc.

P.O. Box 468567

Atlanta, GA 31146

U.S.A.


www.myoldcastle.com



1-800-233-1067


<http://mulch.preen.com>

CERTIFIED PRODUCT

 MULCH & SOIL COUNCIL ®	Premium Potting Soil
	Standard Potting Soil
	Landscape Soil & Soil Amendment
	Specialty Soils
	✓ Mulch

This product has been registered and tested for conformance to the standards of the Mulch & Soil Council for the indicated product category. The Mulch & Soil standards do not contain a product category for pesticides, and this certification mark does not apply to pesticide claims. For more information, refer to the MSC website at www.mulchandsoilcouncil.org.

G/17



PROOF OF PURCHASE
COMPROBANTE DE COMPRA

MEDIDAS DE PRECAUCIÓN: PELIGROS A LOS SERES HUMANOS Y A LOS ANIMALES DOMÉSTICOS

PRECAUCION

Causa irritación leve en los ojos. Dañino o mortal si se ingiere. Evite el contacto prolongado con los ojos, la piel o la ropa. El contacto prolongado o frecuente con la piel puede causar reacciones alérgicas en algunas personas. Lave la piel minuciosamente con agua y jabón después de la manipulación. Si el producto entra en contacto con la ropa, lávela antes de volver a usarla.

PRIMEROS AUXILIOS	
SI ENTRA EN CONTACTO CON LOS OJOS:	<ul style="list-style-type: none"> Mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15-20 minutos. Si tiene puestos lentes de contacto, retírelos luego de 5 minutos y siga enjuagándose los ojos. Llame a un centro de control de tóxicos o a un médico para solicitar tratamiento.
SI SE INGIERE:	<ul style="list-style-type: none"> Llame inmediatamente a un centro de control de envenenamiento o a un médico para obtener asesoramiento sobre el tratamiento. Haga que la persona tome agua, si puede tragar. No induzca el vómito, a menos que se lo indique un médico o el centro de control de tóxicos. No administre nada por vía oral a una persona inconsciente.
SI SE INHALA:	<ul style="list-style-type: none"> Lleve la persona a un lugar con aire fresco. Si la persona no respira, llame al 911 o a una ambulancia, luego administre respiración artificial, preferentemente boca a boca, si es posible. Llame a un centro de control de tóxicos o a un médico para solicitar tratamiento.
Tenga a mano el envase del producto o la etiqueta cuando llame al centro de control tóxicos o al médico para consultar por el tratamiento. También puede llamar al 1-888-208-1368 para obtener información de tratamiento médico de emergencia.	

RIESGOS PARA EL AMBIENTE

Los ingredientes activos de este producto son extremadamente tóxicos para peces y otros organismos acuáticos, incluidos los camarones y las ostras. Úselo con cuidado al aplicarlo en áreas adyacentes a cualquier superficie acuática. El escurrimiento desde aguas tratadas puede perjudicar a los organismos acuáticos de los sitios acuáticos adyacentes. No lo aplique directamente en el agua. No contamine el agua cuando limpie el equipo o cuando deseche el agua con que lavó el equipo.

INSTRUCCIONES PARA EL USO

Constituye violación de la Ley Federal utilizar este producto de una manera distinta a la estipulada en la etiqueta. LEA LA ETIQUETA COMPLETAMENTE ANTES DE UTILIZAR ESTE PRODUCTO. USE SÓLO SEGÚN LAS INSTRUCCIONES DE LA ETIQUETA. Antes de comprar este producto, lea la sección de Garantía que aparece en esta etiqueta. Si no acepta los términos, devuelva inmediatamente el contenedor sin abrir al lugar de la compra.

INFORMACIÓN DEL PRODUCTO

Este producto contiene un abono de jardinería de primera calidad, tales como madera, pino y ciprés o una combinación de allí junto con otros dos herbicidas pre-emergentes de larga duración. Una de las aplicaciones de este producto de 6 meses, el control de malezas de hoja ancha* y gramíneas anuales en camas de flores y plantas ornamentales. Además de que ayuda a las zonas ajardinadas a retener la humedad - la protección de sus plantas, árboles y arbustos de las temperaturas extremas. Este producto ofrece un mayor control de malas hierbas* cuando se utiliza según las indicaciones. Este abono contiene productos de bosques naturales y no contiene residuos de madera reciclada.

RESTRICCIONES DE PRODUCTOS

USE GUANTES PARA LA MANIPULACIÓN

No aplique cerca de albercas con peces, estanques, arrollos o lagos.

Para uso SÓLO en especies ornamentales. Úselo sólo en plantas ornamentales establecidas.

PARA USO RESIDENCIAL EN EXTERIORES.

No lo use en huertas..

NO USE ESTE COMPUESTO DE MATERIALES NATURALES CERCA DE ÁRBOLES FRUTALES O DE FRUTOS QUE PRODUZCAN ALIMENTOS, NI DE VERDURAS, HIERBAS U OTRAS PLANTAS COMESTIBLES.

No aplique este producto en las siguientes especies de plantas para evitar que sufran daños:

Acanto, hoja de roble	Pinillo	Rubdeckia morada	Junípero, Príncipe de Gales	Rododendro: Carolina, Roseum,	Uva de gato
Aliento de bebé (gypsophila), manto de novia	Evónimo enano	Geranio alpino	Pulmonaria, Bertram Anderson	elegans	Yuca verde
Corazón de virgen, frondosa	Melaleuca	Dedalera	Hierba doncella	Arenaria Montana	
	Cestillo de plata	Hortensia	Flox paniculada	Tártago	

Malezas controladas y/o eliminadas

Malezas de césped anuales:

Cebada, liebre	Cheat	Cola de zorro amarilla	Césped llorón	Roseta	Césped hediondo
Capín arroz	Garranchuelo	Cuajaleche	Avena silvestre	Sorgo	Mastuerzo
Césped azul anual	Piojillo	Césped Johnson (de semilla)	Panicum	Césped barrera	Gramma
Bromo	Festuca, cola de ratón	Césped colorado	Ballico anual	Triguillo	

Malezas de hoja ancha:

Aster	Datura	Hierba carnífera	Mostaza	Ambrosia	Cardo
Corregüela	Acedera	Estramonio	Ortiga	Matacandil	Canutillo
Mastuerzo amargo	Manzanilla bastarda	Centaura negra	Hierba mora	Pata de guanaco	Malva amarilla
Botón dorado	Elipta	Falso ciprés	Cardo perruno	Alforja	Laurel de San Antonio espigado
Trébol de carretilla	Primavera nocturna	Persicaria	Centella	Malva de caballo	Aleluya
Ambrosia áspera	Ortiga	Quinoa blanca	Lentejilla de campo	Persicaria de estero	
Verdolaga alfombra	Alfilerillo	Camambú	Sarandí	Rosa de Jamaica	
Zanahoria	Achicoria de cabra	Escarola	Anagálide	Cardo ajonjero	
Vallisneria americana	Pulicaria	Malva	Hierba de la piña	Verónica	
Peronilla del pasto	Estrellita venenosa	Erigeron del Canadá	Plantago	Tártago	
Pamplina	Geranio Carolina	Manzanilla hedionda	Hierba carmín	Girasol	
Trébol blanco	Quinoa negra	Lupulina	Verdolaga	Trebol de olor	
Siempreviva púrpura	Senecio	Vid azul	Verdolaga de Florida	Mostacilla	
Diente de león	Ortiga mansa	Dondiego de día	Rábano silvestre	Cola de chango	

CUÁNDO APLICAR

Este compuesto de materiales naturales contiene herbicidas preemergentes y para obtener mejores resultados, se recomienda quitar toda la maleza de los mantos antes de su aplicación. Aplicar en la primavera y el otoño después de la renovación de camas. Para obtener mejores resultados, aplique este producto después de haber plantado las flores y mantos ornamentales en el suelo. No aplique sobre semillas de flores.

CÓMO APLICAR

Bulbos y plantas perennes: esparza este producto sobre el área a una profundidad de 5 cm. **No plante flores directamente en el compuesto de materiales naturales.** Si desea plantar algo después de haber aplicado este producto, primero retire el compuesto de materiales naturales del área seleccionada. Evite que caiga compuesto de materiales naturales tratado en el agujero que usará para plantar. Una vez que la planta esté firmemente enterrada en el suelo, coloque el compuesto de materiales naturales alrededor de ella.

Plantas anuales: luego de que las plantas se han asentado en el suelo, esparza este producto sobre el área a una profundidad de 5 cm. No aplique más de una vez por sitio al año. Los ingredientes activos de Preen Mulch Plus pueden dañar algunas plantas anuales. Si le preocupa dañar sus plantas anuales, no use este producto.

ESTE PRODUCTO SE SUGIERE PARA EL USO en torno a estas plantas ya establecidas

Bulbos, flores, cubiertas vegetales y céspedes ornamentales:

Amarilis	Campanas de coral
Artemisia schmidtiana	Dama de noche
Astilbe, Deutschland	Geranio
Aster: China, Nueva Inglaterra, Nueva York	Parra virgen
Platanera de Abisinia	Narciso
Bergamota silvestre	Dalia, Wendy rosada enana
Begonia: planta camaleón, Begonia de invierno	Margarita: angelita, margarita del cabo, margarita de mar, margarita de París, brachicome
Verbena amarilla	Azucena amarilla
Margarita amarilla	Descampsia
Gallardia	Dianthus gratianopolitanus
Balsamina	Senecio/Calflora
Arctotheca caléndula	Margaritero gris
Carex halleriana	Helecho
Crisantemo	Festuca azul
Clemátide	Fuccia, Santa Claus

Tulbagia violácea
Sanítula
Gazania
Geranio: geranio de hiedra, pelargonio
Gladiolo (bulbo de más de 2,5 cm de diámetro)
Césped: amophila breviligulata, cola de gato, convalaria, araliáceas, eulalia, penisetto, convolvaria, hierba de la pampa, pastos ornamentales
Guara
Hakonechloa dorado
Brezo: falso, mexicano
Madreselva japonesa
Equisetum scirpoides
Hosta undulata

Jacinto
Uña de gato: hoja grande, rastrera, rosa rastrera, blanca
Iris: africana, bulbosa, siberica azul, iris pumila
Hiedra: hiedra de argelia, inglesa
Jazmin: alas de ángel, asiático
Flor de papel
Lirio: iris blanco, hosta Francee, hosta Patriot, peruana, kafir
Liriope: grande de color azul, verde/trepadora, lila, majestuosa, blanca Monroe, plateada jaspeada, blanca
Lirio del Nilo
Lisiantus rosado
Lobelia

Lysimachia punctata
Jazmín asiático
Sombrero mexicano
Narciso
Campanilla de coral
Penstemon: flor de manzano
Vinca: hierba doncella, enana, pervinca tropical
Petunias de jardín
Plombagina, enana
Primavera nocturna mexicana
Romero
Petunia mexicana
Salvia: salvia rosa, pectus, salvia rusa
Cabeza de dragón
Cerastio

Tártago japonés
Hierba de San Juan
Pentas
Acela silvestre
Stock
Uva de gato (Sedum): hierba callera, vera jameson
Camelina dulce
Árbol de té, escoba
Tulipán verbena
St. Paul
Alelí
Milenrama común
Yuca roja
Zinia enana

Arbustos:

Abelia: Edward Goucher, lustroso
Acacia: abyssinica, gaultheria depressa, amorphia canescens
Almendra enano con flores rosas
Aptenia cordifolia "manzana roja"
Aralia japonesa
Arborvitae: platycladus orientalis, esmeralda, carex globosa, thuja occidentalis "Little giant", mínima glauca enana, thuja occidentalis nigra oscuro americano, piramidalis, rheingold, techny, woodwardii
Azalea: azul danubio, Cannon's double, Carror, campanas de coral, Fashion, Flame, Formosa, Gerard Christina, Gerard Roberta, Golden flare, Goldenflare exbury, Gumbo pink, Helmutvogel, Hersey red, Higasa, Hinocrimson, Hino pink, Hot shot, Hume, Inga, Irene Koster, Klondike, Mildred, President Clay, Reijn, Snow, Tradition, rhododendrum indica
Bambú: compacta enana, nandina doméstica, nandina, nandina doméstica compacta, nandina doméstica púrpura, nandina doméstica enana del bosque
Agracejo: atropurea de hoja roja japonesa, pino dorado japonés (pinus densiflora "aurea"), rhododendron prunifolium, berberis thunbergii, japonés, mento, rose glow, William Penn

Carióptera
Carióptera oscura
Calistemus: limón, llorón
Bugambilia: arbusto pachisandra (Barbara Karst), California gold, Pink pixie, Scarlett O'Hara, temple fire, Texas dawn
Boj: común, boxus híbrida, japonés, coreano
Retama: holandia-Scotch, hollandia-warminster, lena-Scotch
Eugenia enana
Camelia
Casia plumosa
Agave americana
Cincoenrama (Potentilla): Gold Drop, Goldfinger, Red Ace, Verna, Sunset, Tangerine
Cleyera japonesa
Cotoneaster: gayuba, arándano, himalayo, Praecox (temprana), Pirineos, roca
Arbusto de coyote
Arándano/Arándano enano
Ciprés: filifera roscada, kosteri, hinoki nandina enana, squarrosa mínima, torulosa
Dafne perfumada
Deutzia, Nakiana enana
Cornejo: baileyi, osier baileyi rojo, flaviramea, flaviramea-yellowtwig, siberica-siberian
Euonymus: bonetero rastrero, bonetero del japon, evónimo Emerald'n Gold, evónimo japonico

Aureo-Marginata, evónimo Silver King, Euonymus kiautschovicus, evónimo Sunspot, evónimo Variegated evergreen
Margaritero gris
Helecho: tassel, pintado japonés
Forsitia: intermedia, Spring glory
Loropetalum chinense
Gardenia: belleza de agosto, misterio, radican
Nana gracilis
Brezo: de Cornualles, con campanas violetas, de color rosa mediterráneo, linterna de primavera escocesa
Hibisco Ross Estey
Acebo: balcánico, Blue boy, Blue girl, de Burford, China boy, China girl, Ilex glabra compacto, enano japonés compacto, Ilex crenata convexa, enano de Burford, enano chino, Ilex aquifolium, Gold coast, de la lustre, Helleri-Heller's japonés, Hetzii's japonés, yaupon enano, punta de aguja, Ilex glabra, yaupon que llora, de San José, de la Savannah, Stokesii japonés, yaupon
Madreselva: del cabo, de trompeta, de invierno
Chirca de monte
Ixora
Jazmín amarillo
Junipero: andorra, Bar Harbor, azul, Juniperus horizontalis wiltoni

Blue Chip, Juniperus squamata
Blue Star, Juniperus sabina
Broadmoor, Juniperus horizontalis
Creeping, Andorra enana, juniperus scopulorum, juniperus conferta, Foemina-Hicks, Hollywood, Huntington, Media-old gold, enana azul de jardín japonés, Parsonii, Pfitzer, Pfitzerana glauca-blue, Pfitzerana-pfitzer, Plumosa- Andorra, Prostrata, sabina, verde oscuro, Shore, Tamariscifolia-Tam, Torulosa-hollywood, Wiltonii-blue carpet
Lantana
Laurel de montaña
Lavanda: inglesa, alhucema
Hoja: cobre, salal/limón
Leucothoe: costero, encorvado
Lila: común, china, silvestre
Lirio del Nilo, Reina Ana
Lirio del valle: llamas del bosque, fuegos de la montaña, acumulación de nieve, campanas del templo, rosa del valle, andrómeda
Mahonia: rastrera, mahonia nervosa, helecho Leather leaf
Malva imperial
Arce: amur, corteza coral japonesa, enano japonés
Margarita azul
Ardisia japónica
Don Diego de día, arbusto
Mirto: crape, cera
Solano del Paraguay

Adelfa: laurel de flor, rosa laurel
Osmanthus fortunei
Palmera: areca, fuente china, navidad, pigmea, sago
Photinia de Fraser
Pino, mugo-mugho
Coleonema pulchrum
Pitospero: verde, enano de Wheeler
Plumbago
Ligustro: japonés, California, brillante, dorado, Howardi, Lodense, Vicary golden, cera, hoja de cera, punta amarilla
Piracanta: árbol ardiente, piracanta Monon, espino de fuego, piracanta Red elf, piracanta Rutgers, Santa Cruz, Victoria
Rhaphiolepis: charisma-monruce, enchantress-monness, de hoja redonda, espino de la india, monme de primavera
Rhododendro: americano, mariposa, catawba, catawba album, Chioniodes, Cunningham blanco, Daphnoides, rhododendrum racemosum, Elizabeth, inglés Roseum, forestii repens, rhododendron griffithianum, rhododendro catabiense, rhododendro híbrido, PJM, Purple gem, Ramapo, Rocket, rhododendron maximum (rosebay), Scintillation, Tribly, Unique, Vulcan
Rosa rugosa

Rosa de Sharon: afrodita, helena, pájaro colorado, corazón rojo, Woodbridge
Elaeagnus
Esquimia: japonés de Reeve
Árbol de humo: violeta real, belleza de coral, Eichholz
Espirea: astilbe/falsa, Anthony Waterer, corona de novia, Dolchia, falsa, First Snow, de los Alpes japoneses, shirobana
Tártago japonés
Sumac de África
Summersweet
Guisante de olor
Sweetpire, Henry Garnet, hoja de acebo
Árbol del té, Nueva Zelanda
Cleyera japónica
Viburnum: bola de nieve común, David, Viburnum plicatum, Koreanspice, rosas trepador, rosas miniatura, té
Viburnum lantana
Weigela: bristol ruby, rojo Java, minué
Bonetero rastrero
Genista lydia
Madreselva: parra silvestre, serótina
Xylosma
Tejo: ciruelo japonés
Pino de tejo
Yuca

Árboles:

Fresno
Abedul: abedul americano, abedul de río
Árbol botella
Algarrobo
Madera de zanahoria
Cerezo, floración de Yoshino
Árbol Coolibah
Álamo de Virginia
Cedro japonés
Ciprés: ciprés de Arizona, ciprés de Leyland, ciprés japonés, ciprés de

hinoki, ciprés italiano, falso ciprés
Cornejo: cornejo florido, cornejo de flor
Olmo chino
Eucalipto: eucalipto cinerea, eucalipto rojo, eucalipto tricarpa, árbol plateado
Ficus y ficus miniatura
Abeto: balsámico, Douglas, blanco
Árbol de anís de Florida
Ginkgo biloba
Hawthorn, verde

Tsuga del Canadá
Algarrobo: acacia negra, Shademaster miel
Magnolia sureña
Caoba
Arce: farolito japonés, arce de amor, abutilón Luteus, arce rojo, arce de Canadá, abutilón Roseus, arce plateado, abutilón Tangerine, abutilón Vesubius red
Mezquita chilena
Mora blanca

Roble: Quercus ilicifolia, roble de virginia, pin, rojo, sauce
Palmera: palma cascada, palmera mexicana, palma de salón, coco plumoso
Pino: austriaco negro, de playa, bosnio, bristlecone, Islas Canarias, columnar escocés, blanco oriental, afgano, negro japonés, loblolly, monterey, pumilio-shrubby suizo de montaña, rojo, escocés, Shore, blanco

Podocarpus
Árbol de Judas
Cedro rojo oriental
Secuoya gigante
Oxydendrum arboreum
Picea: picea blanca cónica enana, abeto de Alberta enano, azul Globe enano, Glauca-Colorado azul, picea azul, picea pungens, noruega, Picea abies Pendula, picea abies
Liquidámbar americano
Fresa de bordes dorados

Sicomoro: americano, de California
Lapacho amarillo
Tayon
Helecho arbóreo: australiano, tasmaniano
Sauce: sauce llorón, sauce tortuoso

Árboles frutales, plantas y viñas que no producirán frutos*:

Almendra
Manzano
Damasco
Aguacate
Banano
Mora negra

Arándano
Mora Boysenberry
Madera de zanahoria
Cerezo: amargo, dulce
Grosella
Zarzamora

Baya
Higo
Avellana
Grosella
Parra: americana y europea
Toronja

Kiwi
Limonero
Frambuesa norteamericana
Nuez de macadamia
Nectarina
Olivo: negro de Rusia

Naranja
Duraznero
Peral
Pacana
Pistacho
Ciruelo

Granada
Ciruela seca
Frambueso
Nogal: negro, inglés

*No se aplican a la viña de frutas u otros frutos o de uva, que dará sus frutos, dentro de un año después de la aplicación de este producto.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua, los alimentos o el forraje al almacenar o desechar.

ALMACENAMIENTO DEL PESTICIDA: guarde el producto en su envase original en un lugar fresco y seco cerrado, fuera del alcance de los niños y los animales.

PESTICIDAS uso y manipulación recipiente: El recipiente no rellenables. No vuelva a usar o rellenar este envase. **Si está vacío:** Coloque en la basura u ofrezca para reciclaje si está disponible.

Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca vierta el producto no utilizado en drenajes interiores y exteriores.

GARANTÍA

El fabricante garantiza que este producto es conforme a su descripción química y es razonablemente adecuado para el propósito indicado en la etiqueta cuando se utiliza según las instrucciones en condiciones normales de uso, pero ni esta garantía ni ninguna otra garantía de comerciabilidad o aptitud para un propósito particular, expresa de las garantías implícitas, se extiende al uso de este producto contraviniendo instrucciones de la etiqueta, o en condiciones anormales, o bajo condiciones razonablemente no predecibles a un fabricante, y en la medida compatible con la ley aplicable, el comprador asume el riesgo de tal uso.

GARANTÍA PREEN®

En la medida compatible con la legislación aplicable, Libano Seaboard Corporation garantiza que usted estará satisfecho con el rendimiento de este producto cuando se utiliza según las instrucciones, o le devolvemos su dinero. Si no está satisfecho, describir la naturaleza de su problema, y enviar el comprobante de compra a: Lebanon Seaboard Corporation, 1600 E. Cumberland Street, Lebanon, PA 17042.

PRECAUCIÓN

MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS

El color dura todo el año

Evita que crezca la maleza* hasta por 6 meses. ¡Garantizado!

* Vea las Instrucciones de uso para la lista completa de las malezas tratadas.

Preen® es una marca registrada de Lebanon Seaboard Corporation.

CONTENIDO NETO 2 PIES³ (56,63 L)

PESO NETO 30 LBS. (13,6 KG)

CUBRE 12 PIES² (1,11 m²)

El llenado es por volumen.

Puede que se produzca asentamiento durante el envío.

Distribuido por:

Oldcastle Lawn & Garden, Inc.

P.O. Box 468567

Atlanta, GA 31146

U.S.A.

www.myoldcastle.com

Mulch Ingredientes: productos forestales procesados.

CERTIFIED PRODUCT

 MULCH & SOIL COUNCIL	Tierra superior para macetas
	Tierra estándar para macetas
	Tierra para el césped y el jardín y enmiendas para la mejora de la tierra
	Tierra de especialidad
	✓ Pajote

Este producto se ha registrado y ha sido probado para la conformidad a los estándares del Mulch & Soil Council para la categoría indicada del producto. Los estándares del Mulch & Soil Council no contienen una categoría del producto para pesticidas, y para esta marca de la certificación no aplica a reclamos de pesticida. Para más información, refiérase a www.mulchandsoilcouncil.org.

INGREDIENTES ACTIVOS:

Trifluralina0,0032%

Isoxaben0,0008%

OTROS INGREDIENTES: 99,9960%

TOTAL 100,0000%

EPA Reg. No. 961-408-79631

Trifluralin CAS No. 1582-09-8

Isoxaben CAS No. 82558-50-7

(HC) (MH) (CC) (BW) (FG) (SD) (PL) (LB) (PS) (WY) (SG) (AJ) (QT) (HR) (AB) (MI) (PK) (HO) (PO) (LI) (IN) (SP) (TY) (BP) (CH) (SW) (MN) (BR)

EPA Est. No. 79631-FL-001; 79631-FL-002; 79631-FL-003; 79631-FL-004; 79631-FL-005; 79631-GA-002; 79631-SC-001; 79631-NC-001; 79631-ME-001; 79631-RI-001; 79631-IL-001; 79631-WI-001; 79631-PA-001; 79631-OK-002; 79631-NC-002; 79631-OK-001; 79631-KS-001; 79631-AR-001; 79631-TX-001; 79631-TX-002; 79631-IN-001; 79631-NJ-001; 79631-MS-002; 79631-MI-001; 79631-IN-002; 79631-KS-002; 79631-NY-001; 79631-NY-002;

Superscript used is first two letters of lot number.

El superíndice usado son las dos primeras letras del número de lote.