

GUARANTEED
Listed **Insect Kill!**



Preen®

**WEED
PREVENTER**
plus
Ant, Flea & Tick Control

prevenidor de malezas más hormiga de fuego, pulgas y garrapatas asesino

**STOP LISTED WEEDS
Before They Start!**

**An Effective
HOME BARRIER
Treatment**

**Blocks Listed Weeds For Up To
4 Months Guaranteed!**

**Do Not Use on Vegetable
Gardens or Lawns**

Covers 1000 sq ft

ACTIVE INGREDIENTS:

Dithiopyr..... 0.27%

Bifenthrin†..... 0.11%

OTHER INGREDIENTS..... 99.62%

TOTAL..... 100.00%

dithiopyr CAS No. 97886-45-8

bifenthrin CAS No. 82657-04-3

†Cis isomers 97% minimum;

trans isomers 3% maximum

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for First Aid and
additional Precautionary Statements.

Net Wt. 4.25 lbs. (1.93 kg)



Preen

WEED PREVENTER Plus

Ant, Flea & Tick Control

prevenidor de malezas más hormiga de fuego, pulgas y garrapatas asesino

Do Not Use on Vegetable Gardens or Lawns

Precautionary Statements Hazards to Humans and Domestic Animals CAUTION

Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

First Aid

If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency medical treatment information call (888) 208-1368.
Note to Physician: This product contains a pyrethroid. If large amounts have been ingested, milk, cream or other digestible fats and oils may increase absorption and so should be avoided.

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the flower garden will help to prevent run off to water bodies or drainage systems.

Manufactured by / Fabricado por:
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042

1-800-233-1067 • www.preen.com

Preen® is a registered trademark of Lebanon Seaboard Corporation

dithiopyr CAS No. 97886-45-8
bifenthrin CAS No. 82657-04-03
EPA Reg. No. 961-423

(L) (D)

EPA Est. 961-PA-01:961-IL-01

Superscript used is first letter of lot number.

Manufactured by Lebanon Seaboard Corporation
1600 East Cumberland Street | Lebanon, PA 17042



i/16

PROOF OF PURCHASE | Comprobante de compra

SEE INSIDE BOOKLET FOR COMPLETE DIRECTIONS FOR USE AND PLANT LISTINGS
Consultar folleto en interior para ver el modo de empleo completo y listas de plantas

LIFT HERE TO OPEN | PRES TO RESEAL • Levante aquí para abrir | Presione para volver a cerrar

Killing Weeds vs. Weed Prevention



Pulling or spraying only eliminates weeds already above ground.



Preventing creates a weed barrier that stops listed weeds from germinating.

This product contains an insecticide for controlling listed insects and an herbicide that prevents listed weeds from germinating. Weeds grow throughout the season. It's never too late or too early to apply. Sprinkle around listed flowers, trees & shrubs every 4 months.

The Preen Routine

Easy Steps to Listed Weed Prevention and Listed Insect Control



Remove Existing Weeds



Sprinkle Product Evenly



Water Product Into Soil

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

REFILL INSTRUCTIONS

This container with applicator cap is reusable with this product. Refill the container with desired amount of this product and use as directed. When done, store or dispose this container as listed on the label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store product in its original container in a cool, dry, locked place out of the reach of children and animals. **Pesticide Disposal and Container Handling:** Nonrefillable container. Do not reuse or refill this container except as described in the REFILL INSTRUCTIONS (see Refill Instructions). If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



1-800-233-1067

www.preen.com



(L) (D)
EPA Reg. No. 961-423 | EPA Est. No. 961-PA-01-961-IL-01
Superscript used is first letter of lot number.

Preen[®] is a registered trademark of Lebanon Seaboard Corporation.

4.125"

FRONT COVER
(Page 1)

Preen



Do Not Use on Vegetable Gardens or Lawns

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See container label for First Aid and Additional Precautionary Statements

STOP LISTED WEEDS Before They Start!

ACTIVE INGREDIENTS:	
dithiopyr	0.27%
bifenthrin ¹	0.11%
Other ingredients	99.62%
Total	100.000%
dithiopyr CAS No. 97886-45-8	
bifenthrin CAS No. 82657-04-3	
¹ Cis isomers 97% minimum, trans isomers 3% maximum.	

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

Product Information

This product contains an insecticide for controlling listed insects and an herbicide that prevents listed weeds from germinating.

One application of this product provides up to 4 months control of listed broadleaf weeds and annual grasses in flower beds, xeriscapes settings, rock gardens and around ground covers, trees and shrubs. Although this product will not kill existing weeds, it will prevent new listed weeds from sprouting – eliminating the need for difficult and time-consuming hand weeding. Without listed weeds and insect pests your valuable plants can grow larger and stronger.

This product kills listed insects.

Product Restrictions

Use only on established ornamental plants listed in this label.

Do not apply near fish pools, ponds, streams or lakes.

Do not use on vegetable gardens or lawns.

Entry Restrictions

Do not allow people or pets to enter the treated area until dusts have settled. If product is watered-in, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

Weeds Controlled

Grassy weeds:	Buttercup	Crowfootgrass	Yellow	Sandbur
Barley	Crabgrass:	Dallisgrass	Kikuyugrass	Smutgrass
Barnyardgrass	Large,	(seedling)	Oats, Wild	
Bluegrass, Annual	Smooth,	Goosegrass	Ryegrass:	
Brome	Southern	Foxtail: Green,	Annual, Perennial	
Broadleaf weeds:	Knotweed, Prostrate	Pineappleweed	Speedwell, Corn	
Bittercress	Lespedeza, Common	Pigweed, Redroot	Spurge: Garden,	
Carpetweed	Lambsquarters	Parsely-piert	Prostrate,	
Chickweed	Marestail	Purslane, Common	Spotted	
Geranium, Carolina	Medic, Black	Rocket, London	Woodsorrel:	
Henbit	Mustard	Shepherdspurse	Creeping, Yellow	

Insects Controlled

Annual Bluegrass	(Adult)	Ataenius (Adult)	Grasshoppers	Mole Cricket
Weevils	Armyworms	Centipedes	Leafhoppers	(Nymph)
(Hyperodes)	Billbugs (Adult)	Chinch Bugs	Mealybugs	Sod Webworm
(Adult)	Crickets	Earwigs	Millipedes	
Ants	Cutworms	Fleas (Adult)	Mole Cricket	
Imported Fire Ants	Black Turfgrass	Fleas (Larvae)	(Adult)	

Ticks (including ticks that may transmit Lyme Disease and Rocky Mountain Spotted fever)

When to Apply

Apply this product during the growing season around established plants and transplants in flower beds, xeriscapes settings, rock gardens, and around ground covers, trees and shrubs.

For best ornamental beds free all season long of listed weeds and insects, reapply this product every 4 months.

How to Apply

This product will not kill existing weeds, remove any weeds that have already begun to grow before applying this product around established plants and transplants.

For best results, remove all existing weeds before applying this product around established plants and transplants. Do not use this product on flower seeds. This product can be used after flowering plants have germinated and are 2-3 inches tall.

SURFACE APPLICATION RATE

To avoid plant injury, do not apply this product when plant foliage is wet. When plants are dry, sprinkle this product evenly over the soil surface at rate of 0.68 oz. per 10 sq.ft. (see picture on right), being sure to keep granules away from plant roots and foliage. Wash or brush off stray granules from plant foliage to avoid damage or discoloration.



Sprinkle this product as shown on soil

After application, water this product into soil surface. Do not water to the point of run-off. Once activated by watering, this product forms a barrier in the top layer of soil, preventing listed weed seeds from germinating and killing listed insects on contact. Disturbance to the soil surface after activation may result in erratic control.

4.125"

INSIDE TEXT

(2)

4.125"

INSIDE TEXT

(3)

Applying This Product on Mulch

For best listed weed and insect control, apply this product after spreading mulch on your flower and shrub beds. Sprinkle this product on top of mulch at surface rate (see picture below left), being sure to keep granules away from plant foliage. Water this product into mulch. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

THIS PRODUCT IS SUGGESTED FOR USE AROUND THESE ESTABLISHED PLANTS

Name	Tolerant Cultivars	Name	Tolerant Cultivars
abelia	nana grand surprise		
acacia, redolens			
abyssinian red banana	maureli		
Ajuga carpet bugle	bronze bronze beauty		
almond, flowering		barberry, purple	
apple†		basket flower	
aralia, Japanese		beach grass	
arborvitae	nigra pyramidalis smaragh techny woodwardii aurea nana	bearberry (common)	Massachusetts
		bee balm	
		begonia	
		birch, river	
		birch, European white	
arborvitae, dwarf golden		blackeyed Susan	goldstrum
ash, green		blanket flower	
ash, autumn purple	autumn purple	blood grass	
aster, Chinese	dwarf queen	blue fescue	
azalea	brilliant buccaneer carror chimes (Belgian) Elsie Lee exbury fashion Girard's Rose hardjizer beauty hershey red higasa hinocrimson Holland (hybrid) Marion Lee northern lights Nuccio's Wild Cherry orange cup orchid lights snow southern charm	bluebeard	dark knight
		blueberry†	
			bluecrop
			blue jay
			Jersey
			north blue
			northland
		bottlebrush	
		bougainvillea	Little John
			James Walker
			pink dream
			purple queen
			rosenka
			Scarlet O'Hara
			rosea
		bower vine	japonica
		boxwood	green beauty
		boxwood, green beauty	winter gem
		boxwood, wellen	moonlight
		broom	Vancouver gold
			debutante
		camellia	matholiana supreme
			chansonette
			Setsugekka
			snow white
azalea, flame		candy tuft	
azalea, kirishima	compacta	carex, variegated	
bamboo, heavenly	nana plum passion aurea	carpet bugle	bronze bronze beauty

Name	Tolerant Cultivars	Name	Tolerant Cultivars
cedar, red		fan palm, European	
celosia		fan palm, Mexican	
centaurea		fern (various)	
Chinese pistache		fescue	
chrysanthemum	mandarin time	fescue, blue	Elijah blue
clivia		fetterbush	rainbow
cockscornb, plumosa	scarlet plumosa	figus	nitidia
coleus	red kewpie	fir fraser	
columbine		fortnight lily	
coneflower, purple	magnus purple	Forsythia	arnold dwarf bronzensis dwarf
copper leaf			lynwood gold meadowlark spring glory weeping rubrum
coreopsis	moonbeam		
corn flower			
cotoneaster			
coyotebrush			
cycad			
cypress, bald		fountain grass, purple	
cypress, Italian	glauca tiny tower	fuchsia	
	gracilis	galium	
cypress, hinoki false	torulosa	gardenia	mystery radicans veitchii white gem variegata floristan violet
	Hybrid		
cypress, leyland	King Alfred		Garlic, variegated society
daffodil	Aztec gold		gayfeather
daisy lily	bright yellow (hybrid)		geranium
	single gold (evergreen)		globe thistle
	Wilson's yellow		gum
	firewatch		hawthorn
dianthus (sweet William)	magic fountain		cockspur white crimson cloud enchantress Jack Evans Washington white ballerina Mediterranean pink lowa
delphinium			
dogwood	flavariuma		blue bird brilliant hula girl Seminoles pink Nellie R. Stevens fosteri Savannah blue boy blue girl China girl
dogwood, American			
Douglas fir		hawthorn, Indian	
dracaena		heather, twisted	
dusty miller		heliotrope	
elm	drake	hemlock, Canada	
Eulaliagrass/maiden grass	gracilimus variegatus	hibiscus	
	morning light		
	Argenteo-variegata		
	colorata		
	emerald gaiety	holly	
	emerald n' gold		
	gold edge		
	golden princess	holly, blue	
	tricolor		
	vegetus		
	Aureomarginata	holly, cassine	
	microphylla variegata	holly, Chinese	
	Moness' silver princess		
	silver king	holly, Japanese	
	Manhattan		
	viridis		
euryops, green leaved			burfordii needlepoint compacta hellerie Japanese northern

4.125"

INSIDE TEXT

(4)

4.125"

INSIDE TEXT

(5)

Name	Tolerant Cultivars	Name	Tolerant Cultivars
	beauty Steeds		spartan tamariscifolia weberi
holly, yaupon honeysuckle	Claveyi dwarf halliana Canadian white Zabelli dropmore scarlet purpurea albo marginata	juniper (Juniperus chinensis)	Youngstown Yukon belle blue point gold coast torulosa - Hollywood twisted sea of gold prostrate Japanese garden tamarix
hop bush, purple hosta ice plant ice plant, rosea ice plant, white trailing ice plant, purple ice plant, red spike impatiens iris		juniper, shore (Juniperus procumbens nana) juniper (Juniperus sabina 'tamariscifolia') juniper (Juniperus scopulorum) king palm lantana laurel, Carolina cherry laurel, mountain leucothoe ligustrum, Japanese lily Lily of the Nile lilyturf	Scopulorum skyrocket
ivy, English	dwarf blue wedgewood Bulgaria thorndale		bright n' tight
jasmine, Asian jasmine, star juniper (Juniperus spp.)	Arcadia Armstrong bar harbor blue chip blue Pacific blue rug blue star broadmoor buffalo calgary carpet emerald sea emerald spreader endoria compacta fruitlandi green gold tip hetzi hughes icee blue Manhattan blue parsoni pfitzeriana plumosa Prince of Wales procumbens dwarf San Jose sargent blue sargent green scandia scopulorum moon glow		streamline albus Peter Pan evergreen giant lilac beauty majestic monroe white silvery sunproof variegata
		lilyturf, creeping magnolia, saucer mandevilla	Red Riding Hood crimson jewel emerald elf
		maple, amur maple, Japanese maple, Norway maple, red ‡ maple, silver maple sugar ‡ marguerite, blue marigold	red sunset
		mock orange ‡ mondo grass moss rose mountainash myrtle, crape	honeycomb variegata wheelers dwarf golden snowflake double white sunnyside laurei

Name	Tolerant Cultivars	Name	Tolerant Cultivars
	langer muskogee standard pink zuni		Wheeler's dwarf shimi creme de menth golf ball royal cape
myrtle, wax narcissus New Zealand flax	rainbow chief rainbow queen Jack Spratt	plumbago, cape plume grass potentilla privet	abbotswood golden vicary regal texanum yellow tipped
oak, laurel x x oak, pin oak, red oak, southern oak, willow Oleander	hardy red Mrs. Roeding petite pink sister agnes goshiki whirligig	privet, glossy pyracantha or firethorn	gnome lalandei victory
		queen palm quince, Japanese ‡ red hot poker redbud, eastern redwood, coast rhododendron	flamenco
rosmanthus, holly leaf osteospermum pachysandra palm, bangalow palm, bismark palm, California fan palm, cardboard palm, majesty palm, paurotis palm, queen pampas grass pansy paper flower peach ‡ pepper tree, California periwinkle, dwarf petunia philodendron, tree photinia, red tip pieris pieris, Japanese pine, Afghan pine, aleppo pine, Austrian black pine, Canary Island pine, Japanese black pine, loblolly pine, longleaf pine, mugo or Swiss Mt. pine, Scotch pine, slash pine, Virginia pine, white pineapple, guava ‡		album Cunningham white PJM purple gem silvery pink	
	ivory feathers Barbara Karst	rhododendron, Carolina rhododendron, catawba rhododendron, rhodie max - rosebay ribbon grass rockcross rose ‡ rose, groundcover	snowcap luta flower carpet red flower carpet white flower carpet pink knockout
	picoti	rose, knockout shrub rosemary ‡ rosemary, bog Salvia sedge, leather leaf sedum	nana rhea dragon blood red red carpet yellow
	mountain fire	silk tree smoketree, royal purple snapdragon snow-in-summer snowball, common sourwood spiraea (Astilbe X arendsii) spiraea (Spiraea spp.)	royal purple sterile fanall Anthony Waterer red

4.125"

INSIDE TEXT

(6)

4.125"

INSIDE TEXT

(7)

Name	Tolerant Cultivars
	dolchica froebl pink goldenflame red snowmound white Van Houtte white
spirea, garland spruce, Black Hills spruce, Colorado blue spruce, dwarf Alberta spruce, Norway spruce, white spurge, Japanese sweet bay sweetflag sweetgum sweet olive sycamore	glauca conica conica green sheen ogon
tea tree, New Zealand	American California ruby glow martini
tree fern (tiki fern) trumpet flower or Carolina Jessamine tulip tufted hairgrass verbena, shrub Verbena, St. Paul's viburnum	apeldoorn St. Paul American cranberry bush arrowood European cranberry bush linden Mohican wright
vinca (periwinkle) windmill palm wisteria, Japanese xylosma yarrow yaupon yellow bells yesterday-today-and- tomorrow yew	Texas purple dwarf floribunda capitata denisiformis
yucca, red	

‡ Ornamental species only. Do not use on plants grown for food.

PREEN GUARANTEE

NOTE: To the extent consistent with applicable law, Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to: Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

Warranty

Note: To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Eliminación de las malezas en comparación con la prevención de las malezas



Extraer o rociar solo elimina las malezas que ya están sobre la tierra.



Evitar el crecimiento crea una barrera contra las malezas mencionadas que detiene su germinación.


Este producto contiene un insecticida para el control de los insectos mencionados y un herbicida que evita la germinación de las malezas mencionadas. Las malezas crecen durante la temporada. Nunca es demasiado tarde ni temprano para aplicar este producto. Rocíe las flores, los árboles, y los arbustos mencionados cada 4 meses.

Pasos sencillos para la prevención de las malezas mencionadas y el control de los insectos mencionados.


La rutina de Preen.



Retire las malezas existentes.



Esparza el producto de manera uniforme.



Riegue el producto en la tierra.

Declaraciones de precaución

RIESGOS PARA SERES HUMANOS Y ANIMALES DOMÉSTICOS

PRECAUCIÓN

El producto es nocivo si se ingiere, se absorbe por la piel o se inhala. Provoca una irritación moderada en los ojos. Evite el contacto con los ojos, la piel o la ropa. En algunas personas, el contacto prolongado o frecuente con la piel puede provocar reacciones alérgicas. Lávese cuidadosamente con jabón y agua después de manipular el producto y antes de comer, beber, masticar chicle, usar tabaco o usar el baño. Quítese la ropa contaminada y lávela antes de volver a usarla.

INSTRUCCIONES PARA EL LLENADO

Este envase con tapa aplicadora es reutilizable con este producto. Rellene el envase con la cantidad deseada de este producto y úselo como se indica. Cuando termine, almacene o elimine este envase como se indica en la etiqueta.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua, los alimentos o alimentos para animales al almacenarlo o eliminarlo.

Almacenamiento del pesticida: Almacene el producto en su envase original en un lugar fresco, seco, seguro y fuera del alcance de los niños y animales. **Eliminación del pesticida y manipulación del envase:** El envase no se puede rellenar. No reutilice ni rellene este envase a menos que así se indique en las INSTRUCCIONES PARA EL RELLENADO (consulte las Instrucciones para el relleno). **Si está vacío:** Colóquelo en la basura o, si está disponible, ofrézcalo para reciclaje. Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminar el producto. Nunca coloque productos que no utiliza debajo de ningún drenaje externo o interno.

4.125"

INSIDE TEXT

(8)

4.125"

INSIDE TEXT

(9)

Preen

CONTROLADOR DE MALEZAS más

prevenidor de malezas más hormiga de fuego, pulgas y garrapatas asesino

No apto para uso en jardines de hortalizas o céspedes

MANTENGA ALEJADO DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN

Consulte la etiqueta del envase para obtener información sobre primeros auxilios y declaraciones de precaución adicionales.

WEED PREVENTER Plus
Ant. Flea & Tick Control

DETIENE LAS MALEZAS MENCIONADAS antes de que aparezcan

INGREDIENTES ACTIVOS:

diflufenicanil	0,27%
bifenox	0,11%
Otros ingredientes	99,62%
Total	100,000%

diflufenicanil CAS No. 97886-45-8
bifenox CAS No. 82679-04-3

!isómeros cis 97% como mínimo, isómeros trans 3% como máximo.

Instrucciones de uso

Es una violación a la ley federal utilizar este producto de manera contraria a lo indicado en la etiqueta.

¡DETÉNGASE! LEA LA ETIQUETA COMPLETA PRIMERO. CUMPLA TODAS LAS PRECAUCIONES Y SIGA LAS INSTRUCCIONES DETALLADAMENTE.

Información del producto

Este producto contiene un insecticida para el control de los insectos mencionados y un herbicida que evita la germinación de las malezas mencionadas.

Una aplicación de este producto proporciona hasta 4 meses de control de las malezas de hoja ancha mencionadas y pastos anuales en macizos de flores, xeriscapes, jardines de piedra y alrededor de cubiertas vegetales, árboles y arbustos.

Aunque este producto no mata las malezas existentes, evitará la germinación de nuevas malezas, lo que elimina la dificultad y la pérdida de tiempo de desmalezar a mano. Sin las malezas y las plagas de insectos mencionados, sus valiosas plantas podrán crecer más grandes y fuertes.

Este producto mata los insectos mencionados.

Restricciones del producto

Use solo en plantas ornamentales establecidas que se enumeran en esta etiqueta.

No aplique cerca de albercas con peces, estanques, arroyos o lagos.

No apto para uso en jardines de hortalizas o céspedes.

Restricciones de entrada

No permita que las personas o mascotas ingresen al área tratada hasta que el polvo se haya asentado. Si se va a regar el producto, no ingrese ni permita que otros ingresen en las áreas tratadas (excepto quienes deben regar el producto) hasta que el riego esté completo y la superficie esté seca.

Malezas controladas

Malezas herbosas:	Grande,	Pata de gallina	perenne
Barley	Suave,	Cola de zorro: Verde,	Rosetilla
Capin	Del sur	amarilla	Pasto alambre
Césped azul, anual	Zacate egipcio	Césped Kikuyo	
Bromo	Pasto miel	Avena silvestre	
Botón de oro Digitaria:	(plántula)	Ballico: Anual,	

Malezas de hoja ancha:	Sanguinaria postrada	Hierba de la piña	Verónica arvensis
Mastuerzo amargo	Lespedeza, Common	Yuyo colorado	Hierba de golondrina:
Culantrillo	Trébol de los prados común	Alquimila arvensis	Jardin, Postrada,
Pamplina	Cenizo	Verdolaga común	De golondrina
Geranio Carolina	Corregüela hembra	Matacandil	Acedera menor:
Ortiga mansa	Mustard	Bolsa de pastor	Rastrera, amarilla

Insectos controlados

Césped azul anual	importadas	Ataenius negro del césped (Adulto)	Pulgas (larvas)	(Adulto)
Escarabajos rubios (Hyperodes) (Adultos)	Adulto	Gusanos soldados	Ciempiés	Grillos topo (Ninfas)
Orugas	Picudos (Adultos)	Chinches	Gorgojos	Orugas tejedora del tepe
Hormigas	Grillos	Tijeretas	Milpiés	
Hormigas rojas	Orugas cortadoras	Pulgas (Adulto)	Grillos topo	

Garrapatas (lo que incluye las garrapatas que pueden transmitir la enfermedad de Lyme y la fiebre de las Montañas Rocosas)

Cuándo aplicar

Aplique este producto durante la temporada de crecimiento alrededor de plantas crecidas y plantas trasplantadas en macizos de flores, xeriscapes, jardines de piedra y alrededor de cubiertas vegetales, árboles y arbustos.

Para mantener los macizos ornamentales libres de las malezas y los insectos mencionados durante toda la temporada, vuelva a aplicar este producto cada 4 meses.

Cómo aplicar

Este producto no matará las malezas existentes. Retire cualquier maleza que haya empezado a crecer antes de aplicar este producto alrededor de plantas crecidas y plantas trasplantadas.

Para lograr mejores resultados, retire todas las malezas existentes antes de aplicar este producto alrededor de plantas crecidas y plantas trasplantadas. No utilice este producto en semillas de flores. Este producto puede utilizarse después de que las plantas en floración hayan germinado y tengan de 5,08 a 7,62 cm de alto.

Para evitar daños en las plantas, no aplique este producto cuando el follaje de la planta esté mojado. Cuando las plantas estén secas, esparza este producto de forma uniforme sobre toda la superficie del suelo en una proporción de 20,11 cm³ por cada 0,93 m² (consulte la imagen a la derecha), asegurándose de mantener los gránulos alejados de las raíces y el follaje. Lave o limpie los gránulos sueltos del follaje de la planta para evitar daños o la decoloración.

DOSIS DE APLICACIÓN EN LA SUPERFICIE



Rocíe este producto en el suelo como se muestra.

Después de la aplicación, riegue de inmediato el producto para que penetre en el suelo. No riegue hasta el punto en que escurra. Una vez que se haya activado mediante el riego, este producto forma una barrera contra malezas en la capa superior del suelo, lo que evita que las semillas de las malezas mencionadas germinen y mata los insectos mencionados al contacto.

4.125"

INSIDE TEXT

(10)

4.125"

INSIDE TEXT

(11)

Cómo aplicar este producto sobre el compuesto orgánico

Para obtener un mejor control de las malezas y los insectos mencionados, aplique este producto después de esparcir compuesto orgánico en los macizos de flores y arbustos. Rocíe este producto sobre el compuesto orgánico según la dosis para la superficie (consulte la imagen de abajo a la izquierda), asegurándose de mantener los gránulos alejados del follaje de las plantas. Riegue el producto para que penetre en el compuesto orgánico. Lave siempre o limpie los gránulos sueltos del follaje de la planta para evitar daños o la decoloración.

SE SUGIERE EL USO DE ESTE PRODUCTO ALREDEDOR DE ESTAS PLANTAS ESTABLECIDAS

Nombre	Cultivos tolerantes	Nombre	Cultivos tolerantes
Abelia	Nana Azucena mágica	Agracejo japonés	Aurea Crimson pygmy Dwarf pygmy verde Kobold Pygmy red Rose glow Atropurpurea
Acacia, redolens Platanera de Abisinia Búgula ajuga	Maureli Bronce Bronze beauty	Agracejo púrpura Centaurea americana Barrón Gayuba (común) Bergamota silvestre Begonia Abedul de río Abedul blanco europeo Margarita amarilla Gallardia Barón rojo Festuca azul Carióptera Arándano azul†	Massachusetts Goldstrum Rubra Dark knight Bluecrop Arrendajo azul Jersey North blue Northland Little John James Walker Pink dream Purple queen Rosenka Scarlet O'Hara Rosea Japonica Green Beauty Boj winter Gem Moonlight Vancouver gold Debutante Mathotiana Supreme Chansonette Setsukgekka Snow White
Almendro en floración Manzano‡ Aralia japonesa Tuya	Nigra Pyramidalis Smaragh Techny Woodwardii Aurea nana	Limpiatubos Bugambilia Pandorea Boj Boj, Green Beauty Boj weller Retama Camellia	
Tuya golden enana Fresno verde Fresno Autumn Purple Aster chino azalea azalea	Autumn Purple Dwarf queen Brilliant Buccaneer Carror Campanillas (belga) Elsie Lee Exbury Estilo Girard's Rose Hardjizer Beauty Hershey Red Higasa Hinocrimson Holland (hibrida) Marion Lee Northern Lights Cerezo silvestre Nuccio's Orange cup Orchid Lights Snow Southern Charm	Cestilo de plata Cárex variegado	
Azalea Flame Azalea Kirishima Bambú divino	Compacta Nana Plum passion		

Nombre	Cultivos tolerantes	Nombre	Cultivos tolerantes
Búgula	bronce Bronze beauty		Silver King Manhattan Vividis
Cedro rojo Celosia Centaura Pistacho chino Crisantemo Clivia		Margaritero de hojas verdes Palmito europeo Palmito mexicano Helecho (varios) Festuca Festuca azul Elijah Blue Lyna lucida Ficus Abeto Frasier Diets iridioides Forsitía	Rainbow Nitidia Arnold dwarf Bronxensis dwarf Lynwood Gold Meadowlark Spring Glory Llorón Rubrum
Cresta de gallo plumosa Cáleo Aguileña Equinácea morada Hoja de cobre Coreopsis Aciano Cotoneaster Arbusto coyote Cicades Ciprés calvo Ciprés italiano	Mandarin time Scarlet Plumosa Red Kewpie Magnus púrpura Moonbeam Glaucua Tiny Tower Gracilis Torulosa Hibrido King Alfred Aztec gold Bright yellow (hibrida) Single gold (perenne) Wilson's yellow Firewatch Magic fountain	Cola de zorro púrpura Fucsia Gallium Gardenia	Mystery Radicans Veitchii White Gem Variegado Violeta floristan
Falso ciprés Hinoki Ciprés de Leyland Narciso Hemerocalis		Ajo de sociedad variegado Liatris Geranio Cardo Globe Goma Espino	Cocksbur white Crimson Cloud Enchantress Jack Evans Washington white Ballerina Mediterranean pink Iowa
Clavel (del poeta) Delphinium Cornejo Cornejo americano Abeto Douglas Drávena Centaurea cineraria Olmo Eulaliagrass/hierba doncella gracillimus	Flavarimea Drake Gracillimus Morning light Argenteo-variegata Colorata Emerald gaiety Emerald'n gold Gold Edge Gold Princess Tricolor Vegetus Auereo-marginata Microphylla variegata Moness' silver princess	Espino indio Brezo torcido Heliotropo Falso abeto del Canadá Hibisco	Blue Bird Brilliant Hula Girl Seminole pink Nellie R. Stevens Fosteri Savannah Blue Boy Blue Girl China girl Burdorfii Needlepoint
Évónimo		Acebo Acebo Blue Acebo Cassine Acebo chino	

4.125"

INSIDE TEXT
(12)

4.125"

INSIDE TEXT
(13)

NOMBRE	Cultivos tolerantes	NOMBRE	Cultivos tolerantes
Acebo japonés	Compacta Hellerie Japanese northern belleza Steeds		Sargent Green Scandia Scopulorum Moonglow Spartan Tamariscifolia Weberi Youngstown Yukon belle Blue Point Gold Coast Torulosa - Hollywood Enroscada Sea of Gold Postrado japonés Jardin Tamarix
Acebo Yaupon Lonicera	Claveyi dwarf Halliana Canadian white Zabelli Dropmore scarlet Purplea Albo marginata	Junipero (Juniperus chinensis)	
Dodonea viscosa purpurea Hosta Delosperma Delosperma rósea Delosperma White trailing Delosperma púrpura Delosperma red spike Alegria de la casa Lirio		Junipero conferta Junipero (Juniperus procumbens nana) Junipero Juniperus sabina famariscifolia) Junipero (Juniperus scopulorum) Palma King Lantana Laurel cerezo de Carolina Laurel de montaña Leucothoe Ligustro japonés Lirios Azucena del Nilo	Scopulorum Skyrocket
Hiedra	Dwarf Blue Wedgewood Bulgaria Thorndale	Liriope	bright n' tight Estilizado Albus Peter Pan Evergreen Giant Lilac Beauty Majestic Monroe White Silvery Sunproof Variegado
Jazmín de leche Jazmín estrella Junipero (Juniperus spp.)	Arcadia Armstrong Bar Harbor Blue Chip Blue Pacific Blue Rug Blue Star Broadmoor Buffalo Calgary Carpet Emerald sea Emerald spreader Endora Compacta Fruilandi verde Gold Tip Hetzl Hughes Icee Blue Manhattan blue Parsoni Pflizeriana Plumosa Prince of Wales Procumbens dwarf San Jose Sargent Blue	Liriope rastrera Magnolia Saucer Jazmín de Chile Arce del amor Arce japonés Arce de Noruega Arce rojo ‡ Arce plateado Arce azucarero ‡ Margarita azul Maravilla Celinda ‡	Red Riding Hood Crimson Jewel Emerald Elf Red Sunset Honeycomb Variegata Azarero enano Golden Copo de nieve, doble blanca

4.125"

INSIDE TEXT
(14)

NOMBRE	Cultivos tolerantes	NOMBRE	Cultivos tolerantes
Convalaria Portulaca Mountain Ash Árbol de Júpiter	Sunnyside Faurei Langer Muskogee Standard pink Zuni	Pino Slash Pino de Virginia Pino blanco Feijoa ‡ Pitosporo	Azarero enano shimi creme de menth Bola de golf Royal Cape
Mirto de cera Narciso Lino de Nueva Zelanda	Rainbow Chief Rainbow Queen Jack Spratt	Jazmín del cabo Carricera Cincoenrama Ligustro	Abbotswood Golden Vicary Regal Texanum Con puntas amarillas
Roble laurel x x Roble de los pantanos Roble rojo Roble del sur Roble sauce Adelfa	Hardy Red Mrs. Roeding Petite Pink Sister Agnes Goshiki Whirligig	Ligustro arbóreo Piracanta o espino de fuego Palma de la reina Membrillo japonés ‡ Tritoma Árbol del amor oriental Secoya de costa Rododendro	Gnome Lalandei Victory Flamenco Album Cunningham White PJM Purple gem Silvery Pink
Osmanthus, hoja de acebo Caléndula Pachysandra Palma Bangalow Palma Bismark Palma, fan de California Palma Zamia Palma majestad Palma Paurotis Palma de la reina Hierba de la pampa Pensamiento Flor de papel Melocotonero ‡ Aguaribay Vinca pervinca enana Petunia Filodendro, árbol Photinia de punta roja Pieris Pieris japónica Pino afgano Pino carrasco Pino negro austríaco Pino de las Islas Canarias Pino negro japonés Pino de incienso Pino de hoja larga Pino Mugo o Swiss Mt. Pino escocés	Plumas de marfil Barbara Karst Picoti Mountain fire	Rododendro Carolina Rododendro Catawba Rododendro Rhodie Max - rosebay Falaris Arabis rosa ‡ rCubierta para tierra de rosas Rosa, arbusto Knockout Romero ‡ Andrómeda Salvia Carex hoja de cuero Sedum Roble australiano Árbol del humo Royal Purple Boca de dragón Cerastio Bola de nieve común Oxydendrum arboreum	Snowcap Luta Flower carpet red Flower carpet white Flower carpet pink Knockout Nana Rhea Dragon blood red Red Carpet Amarillo Royal Purple Estéril

4.125"

INSIDE TEXT
(15)

Nómbre **Cúltivos tolerantes**

Espirea (Astilbe X arendsii)	Fanall
Espirea (Spiraea spp.)	Anthony Waterer red
	Dolohica Froebel Pink Goldenflame red Snowmound White Van Houtte White
Espirea Garland Picea Black Hills Abeto azul de Colorado Picea enana de Alberta Picea de Noruega Picea blanca Diamante	Glauca Conica
Albahaca dulce Cálamo Liquidámbar Olivo dulce Sycamore	Conica Green sheen Ogon
Árbol del té, Nueva Zelanda	American California Ruby Glow Martini
Helecho (helecho Tiki) Bignonia o Carolina Jazmín Tulipán Deschampsia Arbusto de verbena Verbena, St. Paul's Viburno	Apeldoorn St. Paul Arbusto de arándano americano Arrowood Arbusto de arándano europeo Tilo Mohican Wright
Vinca (pervinca) Palmito elevado Wisteria japonesa Espina corona Milenrama Yaupon Emmanthe penduliflora Brunfelsia pauciflora Tejo	Texas purple Enano Floribunda Capitata Denisiformis
Yuca roja	

‡ Solo especies ornamentales. No utilice en plantas cultivadas para alimentos.

Declaraciones de precaución
Riesgos para seres humanos y animales domésticos
PRECAUCIÓN

El producto es nocivo si se ingiere, se absorbe por la piel o se inhala. Provoca una irritación moderada. Evite el contacto con los ojos, la piel o la ropa. En algunas personas, el contacto prolongado o frecuente con la piel puede provocar reacciones alérgicas. Lávese cuidadosamente con jabón y agua después de manipular el producto y antes de comer, beber, masticar chicle, usar tabaco o usar el baño. Quite la ropa contaminada y lávela antes de volver a usarla.

Primeros auxilios

Si entra en contacto con los ojos:	<ul style="list-style-type: none"> • Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. • Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. • Llame a un centro de control de envenenamientos o a un médico para obtener asesoramiento sobre el tratamiento.
Si se ingiere:	<ul style="list-style-type: none"> • Llame inmediatamente a un centro de control de envenenamientos o a un médico para obtener asesoramiento sobre el tratamiento. • Si la persona puede tragar, haga que beba a tragos un vaso de agua. • No induzca el vómito, a menos que se lo indique un médico o el centro de control de envenenamientos. • Jamás administre nada por la boca a una persona que haya perdido el conocimiento.
Si entra en contacto con la piel o la ropa:	<ul style="list-style-type: none"> • Quite la ropa contaminada. • Enjuague inmediatamente la piel con abundante agua entre 15 y 20 minutos. • Llame inmediatamente a un centro de control de envenenamientos o a un médico para obtener asesoramiento sobre el tratamiento.
Si es inhalado:	<ul style="list-style-type: none"> • Lleve la persona a un lugar con aire fresco. • Si la persona no respira, llame al 911 o una ambulancia, luego administre respiración artificial, preferentemente boca a boca, si es posible. • Llame a un centro de control de envenenamientos para obtener ayuda adicional sobre el tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o busque tratamiento, tenga a mano el envase o la etiqueta del producto. Para obtener información sobre tratamientos médicos de emergencia, llame al (888) 208-1368.

Nota para el médico: Este producto contiene piretroide. Si se toma en grandes cantidades, la leche, crema u otras grasas y aceites digeribles pueden aumentar la absorción, por lo que deben evitarse.

Riesgos ambientales

Este producto es extremadamente tóxico para los peces y los invertebrados acuáticos. Para proteger el medio ambiente, no deje que el pesticida ingrese o escurra hacia desagües pluviales, zanjas de desagüe, canales ni aguas superficiales. Aplicar este producto en un clima tranquilo ayudará a asegurar que el viento no sople el pesticida fuera del área de tratamiento. Barra el producto que caiga sobre una entrada de garaje, acera o calle llevándolo de vuelta al área tratada del jardín de flores para evitar que escurra hacia aguas superficiales o sistemas de desagüe.

4.125"

INSIDE TEXT
(16)

4.125"

INSIDE TEXT
(17)

GARANTÍA PREEN

NOTA: En la medida en que lo permita la ley vigente, Lebanon Seaboard Corporation le garantiza que, si usted no queda satisfecho con el producto luego de usarlo como se indica, se le reembolsará su dinero. Si no está satisfecho, describa la naturaleza de su problema y envíelo con el comprobante de compra a: Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

Garantía

Nota: En la medida que lo permita la ley vigente, el comprador asume toda la responsabilidad por la seguridad y el desempeño si este producto no se usa de acuerdo con las indicaciones.

Mata los insectos dañinos mencionados AL CONTACTO

Un tratamiento eficaz barrera de casa

Mata hormigas rojas, pulgas y garrapatas

Insecticida para hormigas rojas GARANTIZADO

Protege las plantas del daño de los insectos mencionados

Bloquea el crecimiento de las malezas mencionadas hasta por 4 meses, garantizado.

Peso neto 1,93 kg (4.25 lb)

Cubre 92,90 m²



1-800-233-1067

www.preen.com



(L) (D)
EPA Reg. No. 961-423 | EPA Est. No. 961-PA-01:961-IL-01
El superíndice usado es la primera letra del número de lote.
Preen® es una marca registrada de Lebanon Seaboard Corporation.

4.125"

INSIDE TEXT

(18)