

**BATTERY  
POWERED**  
For Even Coverage  
*Batteries Included*

**Preen**<sup>®</sup>  
GARDEN

**WEED  
PREVENTER**

*Controlador de malezas de jardín*

**STOP WEEDS\***  
**Before They Start!**

**Blocks Weeds\***  
**Up To 3 Months Guaranteed!**

**Covers 1000 Sq. Ft.**

ACTIVE INGREDIENT:  
Trifluralin . . . . . 1.47%  
OTHER INGREDIENTS: . . . 98.53%  
TOTAL . . . . . 100.00%

\*See Use Directions for complete list of treated weeds.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See back panel for First Aid and additional Precautionary Statements.

**Net Wt. 6.25 lbs. (2.8 kg)**

3.75"

**Preen**  
GARDEN

**WEED  
PREVENTER**

**Not for Use on Lawns**

**STOP WEEDS\*  
Before They Start!**

**Precautionary Statements**

**Hazards to Humans and Domestic Animals**

**CAUTION**

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

**First Aid**

**IF IN EYES:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:**

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**IF ON SKIN  
OR CLOTHING:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

**IF INHALED:**

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

**Environmental Hazards**

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to drift or runoff. Do not contaminate water when disposing of equipment washwaters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the garden will help to prevent run off to water bodies or drainage systems.



1-800-233-1067

www.preen.com



Preen® is a registered trademark of Lebanon Seaboard Corporation. (L) (D)  
EPA Reg. No. 961-280 | EPA Est. No. 961-PA-01:961-IL-01  
Superscript used is first letter of lot number.

\*See Use Directions for complete list of treated weeds.

Manufactured by Lebanon Seaboard Corporation  
1600 East Cumberland Street | Lebanon, PA 17042



0 88685 64414 6  
PROOF OF PURCHASE | Comprobante de compra

SEE INSIDE BOOKLET FOR COMPLETE DIRECTIONS FOR USE AND PLANT LISTINGS

Consulte el folleto en interior para ver el modo de empleo completo y listas de plantas

LIFT HERE TO OPEN | PRESS TO RESEAL • Levante aquí para abrir | Presione para volver a cerrar

5.125"

8.625"

5.01"

**CCL LABEL**  
YOUR GLOBAL PARTNER

Description: Preen 5lb Back Label Option 4 - BASE

NOTES

LEGEND

Supplied for: **Lebanon Seaboard**

File No.: **CCL9761**

Initial label template 04/25/12

Finished Size: 8.625" (H) x 5.01" (W)

Supersedes: N/A

Date: 04/25/12

Supplied by: CCL Label Memphis

Application: Illustrator CS5

Prepared By: NP

Measurements are in Inches

- Copy Image Area
- Cut/Fold Lines

## Killing Weeds vs. Weed Prevention



Pulling or spraying only eliminates weeds already above ground.



Preventing creates a weed barrier that stops weeds\* from germinating.

Reapply product every 3 months. It's never too late or too early to apply Preen Garden Weed Preventer! Use around listed flowers, vegetables, trees & shrubs.

\*See Use Directions for complete list of treated weeds.

Scan the code to watch how Preen prevents weeds or visit: [www.preen.com/preventweeds](http://www.preen.com/preventweeds)



## The Preen Routine *Easy Steps to Weed Prevention*



Remove Existing Weeds



Sprinkle Product Evenly



Water Product Into Soil

## Precautionary Statements

Hazards to Humans and Domestic Animals

### CAUTION

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

## Refill Instructions

This container with applicator cap is reusable with Preen Garden Weed Preventer. Refill the container with desired amount of this product and use as directed. When done, store or dispose this container as listed on the label.

## Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

**Pesticide Storage:** Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

**Pesticide Disposal and Container Handling:** Nonrefillable container. Do not reuse or refill this container except as described in the DIRECTIONS FOR USE (see Refill Instructions). If empty: Place in trash or offer for recycling if available. If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



1-800-233-1067

[www.preen.com](http://www.preen.com)



Preen® is a registered trademark of Lebanon Seaboard Corporation.

(L)

(D)

EPA Reg. No. 961-280 | EPA Est. No. 961-PA-01:961-IL-01  
Superscript used is first letter of lot number.



Not for Use on Lawns

STOP WEEDS\* Before They Start!

KEEP OUT OF REACH OF CHILDREN

CAUTION

See container label for First Aid and Additional Precautionary Statements

ACTIVE INGREDIENT: Trifluralin.....	1.47%
OTHER INGREDIENTS:.....	98.53%
TOTAL.....	100.00%

\*See Use Directions for complete list of treated weeds.

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Product Information

Preen Garden Weed Preventer prevents most weeds from germinating in flower and vegetable gardens, in ground covers and around trees and shrubs. Although Preen Garden Weed Preventer will not kill existing weeds, it will prevent new listed weeds from sprouting—eliminating the need for difficult and time-consuming hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat all season long.

PRECAUTIONS AND RESTRICTIONS

Not for use on plants being grown for sale or other commercial use, or for commercial seed production or for research purposes. For use on plants intended for aesthetic purposes, or climatic modifications and being grown in ornamental gardens.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Do not apply to Ajuga, Myrtle or Pachysandra until it is well established, as injury may result. Do not apply Preen Garden Weed Preventer to muck soils or to soils containing more than 10% organic matter. Do not over-apply; injury may occur to subsequent crops which are sensitive to Preen Garden Weed Preventer. Do not use with crops other than those listed on this label. This product is not for use on lawns, nor for use in enclosed areas, such as greenhouses. To prevent possible staining to unintended surfaces, ex.: concrete, stone walks, vinyl surfaces, etc., sweep up stray granules as soon as possible.

ENTRY RESTRICTIONS

Do not allow people or pets to enter the treated area until dusts have settled. If product is watered-in, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

Annual Weeds Controlled

<b>GRASSY WEEDS:</b>	Crabgrass	Johnsongrass	Shattercane
Barley, Hare	Cupgrass:	(from seed)	Signalgrass
Barnyardgrass	Southwestern, Woolly	Junglerice	(Brachiaria)
(Watergrass)	Fescue, Rattail	Lovegrass	Sprangletop
Bluegrass, Annual	Foxtail	Oat, Wild	Stinkgrass
Brome	Guineagrass	Panicum: Fall, Texas	Wildcane
Cheat	Goosegrass	Sandbur	Witchgrass

<b>BROADLEAF WEEDS:</b>	Goosefoot	Lambsquarters	(Western U.S. only)
Carelessweed	Henbit	Nettle, Stinging	Purslane
Carpetweed	Knotweed	Pigweed	Pusley, Florida
Chickweed	Kochia	Puncturevine	Thistle, Russian

When To Apply Preen Garden Weed Preventer

Apply Preen Garden Weed Preventer during the growing season around established plants and transplants. Do not use Preen Garden Weed Preventer on flower seeds. It can be used after flowering plants have germinated and are 2–3 inches tall. Preen Garden Weed Preventer may also be incorporated into the soil when seeding vegetables or applied after mulching beds. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying Preen Garden Weed Preventer as early as possible, you can eliminate the need for hand weeding. Rain does not wash this product out of the soil. Reapply Preen Garden Weed Preventer every 9–12 weeks.

How To Apply Preen Garden Weed Preventer

To avoid plant injury, do not apply Preen Garden Weed Preventer when foliage is wet. When plants are dry, sprinkle Preen Garden Weed Preventer on soil surface at rate given below for your specific planting situation. Once activated by watering or soil incorporation, Preen Garden Weed Preventer forms a weed control barrier in the top layer of soil, preventing weed seeds from germinating. Disturbance to the soil surface after activation may result in erratic weed control.

Applying Around Established Plants And Transplants

For flowers, roses, ground covers, ornamental grasses, shrubs, trees and listed vegetables at least 2–3 inches tall (see special section for use on vegetables): sprinkle Preen Garden Weed Preventer evenly over the entire soil surface, at the rate of 1 oz. per 10 sq. ft. (see picture on right), being sure to keep granules away from plant roots and foliage.



Immediately water Preen Garden Weed Preventer into soil surface. If watering-in is not convenient, lightly rake into soil surface. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

Surface Application Rate Sprinkle Preen Garden Weed Preventer as shown on soil surface.

Applying Preen Garden Weed Preventer With Mulch

For best weed control, apply Preen Garden Weed Preventer after spreading mulch on your flower and

shrub beds. Sprinkle Preen Garden Weed Preventer on top of mulch at surface rate (see picture below left), being sure to keep granules away from plant foliage. Immediately water Preen Garden Weed Preventer into mulch. If watering-in is not convenient, lightly rake into top layer of mulch. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

For Use On Vegetables

First remove all existing weeds, then lightly rake to prepare a smooth soil surface. Uniformly mix Preen Garden Weed Preventer into the top 1–2 inches of soil immediately after application, using care not to damage any emerged crops. Rate of application depends on type of soil. Apply at 1 lb. per 640 sq. ft. for heavy clay-type soils, at 1 lb. per 960 sq. ft. for medium loam soils, and at 1 lb. per 1,280 sq. ft. for light sandy soils.

BEFORE Seeding: Broccoli, Brussels Sprouts, Cabbage, Carrots, Cauliflower, Celery, Collard, Black-Eyed Peas, Field Peas, Green Peas, Kale, Lentils, Lima Beans, Mustard Greens, Okra, Radish, Southern Peas (Cow Peas), Snap Beans, Turnip Greens.

AFTER Seeding or Transplanting: Cantaloupes, Cucumbers, Watermelons. Apply after plants have developed 5 or more leaves.

AFTER Planting: Potatoes— May be applied after planting, before or after emergence. Use care not to damage seed pieces in cultivating nor allow treated soil to contact emerged plant foliage.

BEFORE Transplanting: Celery, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Eggplant, Peppers, Onions, Tomatoes.

Perennial Vegetables: Asparagus— Apply prior to spear emergence of established plants.

Preen Garden Weed Preventer Is Suggested For Use Around These Established Plants

<b>BULBS, FLOWERS, GROUND COVERS &amp; ORNAMENTAL GRASSES</b>		
Aaronsbeard	Coral bells	Geranium
Alyssum	Coreopsis	Germander
Arctotis	Cornflower, Purple	Geum
Aster (perennial)	Cosmos	Gladiolus
Aster, Stoke's	Cotoneaster	(corms > 1" in diameter)
Baby's breath	Coyote bush, Dwarf	Golden glow
Balsam	Crown vetch	Grass: Beech, Dwarf
Beard tongue	Daffodil	Mondo, Eulalia,
Bee balm	Dahlia	Fountain, Mascarene,
Begonia	Daisy: African, Painted,	Mondo, Pampas,
Bellflower	Shasta, Trailing African	Ribbon, Zoyisia
Black-eyed susan	Daylily	Guara
Bleeding heart	Descampsia	Hakonechloa, Golden
Bunge	Dianthus	Hollyhock
Calendula	Dusty miller	Hosta, Albo-marginata
Calliopsis	Fern, Asparagus	Hyacinth
Cape weed	Fescue, Blue	Ice plant: Largeleaf,
Carex, Variegated	Floss flower (Ageratum)	Trailing, Trailing
Carnation	Forget-me-not	rosea, White
Carpet begu (Ajuga)	Four o'clock	Impatiens
Ceanothus	Foxglove	Iris, Bulbous
Centaurea, Velvet	Gaillardia	Ivy: Algerian,
Chrysanthemum	Gayfeather	California, English,
Coneflower, Purple	Gazania	Needlepoint
		Ixora
		Jasmine: Angelwing,
		Asaian
		Lamb's ears
		Lavander, English
		Lily turf: Big blue,
		Green/creeping, Lilac
		beauty, Magestic,
		Silvery sunproof,
		Variegated liriopie,
		White
		Lily-of-the-nile
		Lobelia
		Lupine (Lupinus)
		Marigold
		Marigold, Cape
		(Dimorphothecca)
		Morningglory
		Myoporum
		Narcissus
		Nicotiana
		Ozark sundrop
		Periwinkle (Vinca)
		Peter Pan, Dwarf

Petunia	Rupturewort	Statice	Tickseed
Phlox	Salvia	Stock	Tulip
Pincushion flower <i>(Scabiosa)</i>	Silver mound	Stoncrop <i>(Sedum)</i>	Verbena
Plumbago, Dwarf	Snapdragon	Strawberry, Beach	Wire plant
Poppy, California	Snow-in-summer	Sunflower	Winevine, Creeping
Portulaca	Snow-on-the-Mountain	Sweet alyssum	Yarrow <i>(Achillea)</i>
Rockrose	Speedwell	Sweet pea	Zinnia
Rose	Surge, Japanese	Sweet sultan	
Rudbeckia	St. John's wort	Sweet William	
		Thrift	

#### SHRUBS

<b>Abelia:</b> Edward Goucher, Glossy	<b>Camellia:</b> Japanese, Sasanqua	<b>Holly</b>	<b>Red Cedar, Eastern</b>
<b>Acacia:</b> Abyssinica, Prostrate, Shoestring	<b>Cassia, Feathery</b>	<b>Honeysuckle:</b> Cape, Trumpet	<b>Rhaphiolepis:</b> Charisma-Monrue, Enchantress-Moness, Roundleaf, Springtime-Monme
<b>Andromeda, Japanese</b>	<b>Cherry:</b> Carolina laurel, Dwarf pink flowering	<b>Hopseed bush</b>	<b>Rhododendron</b>
<b>Arborvitae:</b> American, Aureus nana-dwarf golden, Emerald, Globosa-globe, Little giant-dwarf, Minima glauca-dwarf, Nigra-dark American, Pyramidalis pyramid, Rheingold, Techny	<b>Cinquefoil</b>	<b>Ixora</b>	<b>Robia</b>
<b>Azalea</b>	<b>Cleyera, Japanese</b>	<b>Jessamine, Carolina</b>	<b>Rose</b>
<b>Bamboo:</b> Compacta-dwarf, Harbour dwarf-heavenly, Heavenly, Nana-compacta-heavenly, Nana purpurea-heavenly, Woods dwarf heavenly	<b>Cotoneaster:</b> Bearberry Cranberry, Himalayan, Praecox-early, Pyrenees, Rock, Zabel	<b>Juniper</b>	<b>Rose, Ramanas</b>
<b>Barberry:</b> Atropurea-redleaf Japanese, Aurea-golden Japanese, Crimson pygmy, Japanese, Mento, Rose glow, William Penn	<b>Coyotebush</b>	<b>Lantana</b>	<b>Rose of Sharon:</b> Heart, Red bird, Woodbridge
<b>Bottlebrush:</b> Lemon, Weeping	<b>Cypress:</b> Filifera-thread, Kosteri, Nana-dwarf	<b>Laurel:</b> American Cherry, Mountain	<b>Sakaki</b>
<b>Bougainvillea</b>	<b>Daphne, Fragrant</b>	<b>Leaf:</b> Copper, Salal/lemon	<b>Silverberry</b>
Barbara Karst, California gold, Pink pixie, Scarlett O'Hara, Temple fire Texas dawn	<b>Deutzia</b>	<b>Leucothoe:</b> Coast, Drooping	<b>Skimmia:</b> Japanese, Reeve's
<b>Boxwood:</b> Common, Harlands, Japanese, Korean, Littleleaf	<b>Dogwood:</b> Bailey red osier, Flaviramea-yellow-twig, Sibirica-Siberian	<b>Lilac:</b> Common, Chinese, Wild	<b>Smoke Tree:</b> Royal purple, Coral beauty, Eichholz
<b>Broom:</b> Hollandia-warminster, Lena-Scotch	<b>Eleagnus</b>	<b>Lily-of-the-Valley:</b> Forest flame, Mountain fire, Snowdrift, Temple-bells, Valley rose, Valley valentine	<b>Spiraea:</b> Anthony Waterer, Bridal wreath, Dolchia, False, Japanese alpine, Shirobana, Vanhoutte
	<b>Euonymus:</b> Canadale, Emerald'n gold, Silver king, Spreading, Sunspot, Variegated evergreen, Winged, Wintercreeper	<b>Mahonia:</b> Creeping, Leather leaf	<b>Sumac, African</b>
	<b>Fern:</b> Tassel, Japanese painted	<b>Maple:</b> Amur, Coral bark Japanese, Dwarf Japanese	<b>Summersweet</b>
	<b>Firethorn <i>(Pyracantha)</i></b>	<b>Mock orange</b>	<b>Sweetspire, Henry</b>
	<b>Forsythia</b>	<b>Myrtle:</b> Crape, Wax	<b>Garnet holly leaf</b>
	<b>Gardenia:</b> August beauty, Mystery, Radican	<b>Oleander:</b> Hardy red, Ruby lace	<b>Viburnum</b>
	<b>Guava, Pineapple</b>	<b>Osmanthus, Fortunes</b>	<b>Weigela</b>
	<b>Hawthorn, India</b>	<b>Palm:</b> Areca, Chinese fountain, Christmas, Pigmy date, Sago	<b>Willow</b>
	<b>Heather:</b> Cornish, Purple bell, Mediterranean pink, Spring torch scotch	<b>Photinia, Fraser's</b>	<b>Woodwaxen</b>
	<b>Hibiscus, Ross Estey</b>	<b>Pieris Japonica</b>	<b>Woodbine:</b> Flowering, Serotina
		<b>Pine, Mugo-mugho</b>	<b>Xylosma</b>
		<b>Pittosporum:</b> Green, Japanese, Wheeler's dwarf	<b>Yew:</b> Anglojap, Plum, Upright Japanese
		<b>Plumbago</b>	<b>Yewpine</b>
		<b>Privet</b>	<b>Yucca</b>

#### TREES

<b>Ash:</b> Shamel, White	Silver dollar	Vesuvius red-flowering	<b>Sequoia, Giant</b>
<b>Birch:</b> European white, Paper, River	<b>Ficus, Mini</b>	<b>Mesquite, Chilean</b>	<b>Spruce:</b> Colorado, Dwarf Alberta, Dwarf globe blue, Glauca-Colorado blue, Hoopsii-Hoop's blue, Koster-Koster blue, Norway, Pendula-weeping Norway, Repens-spreading Norway, White
<b>Blackgum</b>	<b>Fir:</b> Balsam, Douglas, White	<b>Oak:</b> Bear, Live, Pin, Red, Scarlet, Willow	<b>Sycamore, American</b>
<b>Bottle tree</b>	<b>Florida anise tree</b>	<b>Palm:</b> Mexican fan, Parlor, Queen	<b>California</b>
<b>Carrot wood</b>	<b>Ginkgo-maidenhair tree</b>	<b>Pine:</b> Austrian, Beach, Bosnian, Bristlecone, Canary Island, Columnar Scotch, Eastern white, Eldarica, Japanese black, Loblolly, Monterey, Pumlilio-shrubby swiss mountain, Red, Scotch, Shore	<b>Tab, Yellow</b>
<b>Cherry, Yoshino flowering</b>	<b>Hawthorn, Green</b>	<b>Hemlock:</b> Canada, Eastern	<b>Toyon</b>
<b>Coolibah tree</b>	<b>Larch, Japanese</b>	<b>Locust:</b> Black, Honey, Shademaster honey	<b>Tuliptree</b>
<b>Cottonwood</b>	<b>Linden</b>	<b>Magnolia</b>	<b>Willow</b>
<b>Cypress:</b> Arizona, Bald, Filicoides-fernspray, Gracilis-slender Hinoki, Squarrosa-moss, Swara false	<b>Locust:</b> Black, Honey, Shademaster honey	<b>Mahogany</b>	
<b>Dogwood:</b> Cloud nine, Flowering, Kousa	<b>Maple:</b> Albus-flowering, Flame, Luteus-flowering, Norway, Red, Red Sunset, Roseus-flowering, Silver, Sugar, Tangerine-flowering,	<b>Maple:</b> Albus-flowering, Flame, Luteus-flowering, Norway, Red, Red Sunset, Roseus-flowering, Silver, Sugar, Tangerine-flowering,	
<b>Elm, Chinese</b>		<b>Planetree, London</b>	
<b>Eucalyptus:</b> Mealy, Redgum, Red ironbark,		<b>Podocarpus</b>	
		<b>Redbud, Eastern</b>	
		<b>Red Cedar, Eastern</b>	

#### FRUITS AND VEGETABLES

<b>Asparagus</b>	<b>Cauliflower</b>	<b>Lentils</b>	<b>Southern Peas</b> (Cow Peas)
<b>Broccoli</b>	<b>Celery</b>	<b>Lima Beans</b>	<b>Snap Beans</b>
<b>Black-Eyed Peas</b>	<b>Collard</b>	<b>Mustard Greens</b>	<b>Tomatoes</b>
<b>Brussels Sprouts</b>	<b>Cucumbers</b>	<b>Okra</b>	<b>Turnip Greens</b>
<b>Cabbage</b>	<b>Eggplant</b>	<b>Onions</b>	<b>Watermelon</b>
<b>Cantaloupes</b>	<b>Field Peas</b>	<b>Peppers</b>	
<b>Carrots</b>	<b>Green Peas</b>	<b>Potatoes</b>	
	<b>Kale</b>	<b>Radishes</b>	

#### NONBEARING FRUIT AND NUT TREES AND PLANTS\*

<b>Almond</b>	<b>Crabapple</b>	<b>Kiwi</b>	<b>Pistachio</b>
<b>Apple</b>	<b>Currant</b>	<b>Lemon</b>	<b>Plum</b>
<b>Apricot</b>	<b>Dewberry</b>	<b>Loganberry</b>	<b>Pomegranate</b>
<b>Avocado</b>	<b>Elderberry</b>	<b>Macadamia nut</b>	<b>Raspberry</b>
<b>Banana</b>	<b>Fig</b>	<b>Mulberry, White</b>	<b>Tangelo</b>
<b>Blackberry</b>	<b>Filbert</b>	<b>Nectarine</b>	<b>Tangerine</b>
<b>Blueberry</b>	<b>Gooseberry</b>	<b>Olive:</b> Black, Russian	<b>Walnut:</b> Black, English
<b>Carob</b>	<b>Grape:</b> American, European	<b>Orange</b>	
<b>Cherry:</b> Sweet, Sour	<b>Grapefruit</b>	<b>Peach</b>	
<b>Chestnut, Chinese</b>		<b>Pear</b>	
		<b>Pecan</b>	

\*Nonbearing fruit and nut trees and plants are defined as plants that will not bear fruit for at least one year after treatment.

### Warranty

NOTE: To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

# Preen

GARDEN

## WEED PREVENTER

**No Apto Para Uso en Césped!**

**Bloqueo de malezas\* Garantizado durante 3 meses**  
**La pala del aplicador incluye | Preen trabaja por usted**  
**Cubre 2560 pies<sup>2</sup> (237,83m<sup>2</sup>)**

**STOP WEEDS\* Before They Start!**

### Matar Las Malas Hierbas Versus Prevención De Malas Hierbas



Extraer o rociar solo elimina las malezas que ya están sobre la tierra.



Prevención crea una barrera que impide que las malas hierbas germinen.

Vuelva a aplicar el producto cada 3 meses. Nunca es demasiado tarde ni muy temprano para aplicar el controlador de malezas de jardín Preen. Úselo alrededor de las flores, las hortalizas, los árboles y los arbustos incluidos en la lista.  
 \*Consulte las instrucciones de uso para ver una lista completa de las malezas que trata.



Escanee el código para ver cómo Preen evita el crecimiento de malezas, o visite:

<http://www.preen.com/preventweeds>

### La rutina de Preen.

### Pasos fáciles para evitar el crecimiento de malezas



**Retire las malezas existentes**

**Esparza el producto de manera uniforme**

**Riegue el producto en la tierra**

### Instrucciones de uso

Constituye una violación a la ley federal utilizar este producto de manera contraria a lo indicado en la etiqueta.

### Información del producto

El controlador de malezas de jardín Preen evita la germinación de la mayoría de las malezas en jardines de flores y en huertos, en cubiertas vegetales y alrededor de árboles y arbustos. Aunque el controlador de malezas de jardín Preen no mata las malezas existentes, sí evitará la germinación de nuevas malezas, lo que eliminará la dificultad y la pérdida de tiempo de desmalezar a mano. Sin malezas, sus valiosas plantas podrán crecer más grandes y fuertes. Sus macizos se mantendrán arreglados y limpios durante toda la temporada.

#### PRECAUCIONES Y RESTRICCIONES

No lo use en plantas que se hayan cultivado para la venta u otro uso comercial, para la producción comercial de semillas ni para fines de investigación. Úselo en plantas destinadas para fines estéticos o modificaciones climáticas, y que se estén cultivando en jardines ornamentales.

No aplique el producto de ninguna manera en que pueda entrar en contacto con personas o mascotas, ya sea directa o indirectamente. Mantenga a las personas y mascotas fuera del área durante la aplicación.

No aplique en agujas, mirlos ni diamantes hasta que estén bien establecidos, ya que podría producir daños. No aplique el controlador de malezas de jardín Preen en suelos estercolados o en suelos que contengan más de un 10% de materia orgánica. No aplique en forma excesiva: puede producir daños a los cultivos posteriores que sean sensibles al controlador de malezas de jardín Preen. No lo use con cultivos distintos a los que se mencionan en esta etiqueta. Este producto no se debe usar en céspedes ni en áreas cerradas, como invernaderos. Para evitar manchar accidentalmente superficies como concreto, caminos de piedra, superficies de vinilo, etc., barra los granulos que queden dispersos lo antes posible.

#### RESTRICCIONES DE ENTRADA

No permita que las personas o las mascotas ingresen al área tratada hasta que el polvo se haya asentado. Si se riega, no ingrese ni permita que otros ingresen en las áreas tratadas (excepto quienes deben regar el producto) hasta que el riego esté completo y la superficie esté seca.

### Malezas anuales controladas

#### MALEZAS HERBOSAS:

Cebada silvestre  
 Capin arroz (zacate de agua)  
 césped azul anual  
 bromo  
 secalino anual  
 Bromo secalino  
 Digitaria  
 Erriochloa:  
 Sudoeste, lanuda  
 Festuca, cola de ratón  
 Cola de zorro  
 Zacate Guinea

Pata de gallina  
 Zacate Johnson (de semilla)  
 Arrocillo silvestre  
 Amor seco  
 Avena silvestre  
 Panicum: otoño, Texas  
 Rosetilla

Sorgo  
 Pasto barrera (brachiaria)  
 Leptochloa  
 Zacate apuesto  
 Caña brava  
 Zacate brujo

#### MALEZAS DE HOJA ANCHA:

Quenopodio  
 Quintonil tropical  
 Culantrillo  
 Pamplina  
 Quenopodio  
 Ortiga muerta  
 Lengua de pájaro  
 Pinillo

Genizo  
 Ortiga romana  
 Bledo  
 Abrojo

(sólo en el oeste de EE. UU.)  
 Verdolaga  
 Ipecacuana de Florida  
 Cardo ruso

### Cuando aplicar preen malezas de jardines

Aplique el controlador de malezas de jardín Preen durante la temporada de crecimiento alrededor de plantas crecidas y plantas trasplantadas. El controlador de malezas de jardín Preen no se debe usar en semillas de flores. Se puede usar después de que las plantas en floración hayan germinado y tengan de 5,08 cm a 7,62 cm de alto. El controlador de malezas de jardín Preen también se puede incorporar en el suelo al sembrar hortalizas, o aplicarse después de tratar los macizos. Dado que no mata las malezas existentes, deberá quitar primero cualquier maleza que haya comenzado a crecer. Si aplica el controlador de malezas de jardín Preen lo antes posible, podrá evitar la necesidad de desmalezar manualmente. La lluvia no elimina este producto del suelo.

Vuelva a aplicar el controlador de malezas de jardín Preen cada 9 o 12 semanas.

## Cómo aplicar el controlador de malezas de jardín Preen

Para evitar daños a las plantas, no aplique el controlador de malezas de jardín Preen cuando el follaje esté mojado. Cuando las plantas estén secas, rocíe el controlador de malezas de jardín Preen en la superficie del suelo, según las proporciones que se indican abajo para su situación específica. Una vez que se haya activado mediante el riego o su incorporación al suelo, el controlador de malezas de jardín Preen forma una barrera de control de maleza en la capa superior del suelo, lo que evita que las semillas de malezas germinen. La alteración de la superficie del suelo después de la activación puede perjudicar el resultado del control de maleza. La lluvia no elimina este producto del suelo. Vuelva a aplicar el controlador de malezas de jardín Preen cada 9 o 12 semanas.



## Aplicación alrededor de plantas establecidas y trasplantadas

Para flores, rosas, cubiertas vegetales, céspedes ornamentales, arbustos, árboles y hortalizas que se indican, de al menos 5,08 cm a 7,62 cm (2" a 3") de alto (consulte la sección especial para uso en hortalizas): Rocíe el controlador de malezas de jardín Preen de forma pareja sobre toda la superficie del suelo, con una dosis de 29,57 cm<sup>2</sup> por cada 0,93 m<sup>2</sup> (consulte la imagen a la derecha), asegurándose de mantener los gránulos alejados de las raíces y el follaje de las plantas.

Riegue inmediatamente el controlador de malezas de jardín Preen para que se incorpore en la superficie del suelo. Si el riego no es conveniente, rastrielle suavemente la superficie del suelo. Lave siempre o limpie los gránulos sueltos del follaje de la planta para evitar daños o la decoloración.

Dosis de aplicación en la superficie: Rocíe el controlador de malezas de jardín Preen sobre la superficie del suelo como se muestra.

## Aplicación del controlador de malezas de jardín Preen con compuesto orgánico

Para obtener un mejor control de las malezas, recomendamos aplicar el controlador de malezas de jardín Preen después de esparcir compuesto orgánico en los macizos de flores y arbustos. Rocíe el controlador de malezas de jardín Preen sobre el compuesto orgánico según la proporción de la superficie (consulte la imagen de arriba), asegurándose de mantener los gránulos alejados del follaje de las plantas. Riegue inmediatamente el controlador de malezas de jardín Preen para incorporarlo en el compuesto orgánico. Si el riego no es conveniente, rastrielle suavemente la capa superior del compuesto orgánico. Lave siempre o limpie los gránulos sueltos del follaje de la planta para evitar daños o la decoloración.

## Para uso en hortalizas

Primero, retire todas las malezas existentes y luego rastrielle suavemente para preparar una superficie de suelo pareja. Mezcle de forma pareja el controlador de malezas de jardín Preen en los 2,54 cm a 5,08 cm superiores del suelo, inmediatamente después de la aplicación, teniendo cuidado de no dañar los cultivos que hayan brotado. La dosis de aplicación depende del tipo de suelo. Aplique a 453,6 g (1lb) por 59,5 m<sup>2</sup> (640 pies<sup>2</sup>) para suelos muy arcillosos, a 453,6 g (1lb) por 89,2 m<sup>2</sup> (960 pies<sup>2</sup>) para suelos con contenido de arcilla mediano y a 453,6 g (1lb) por 120 m<sup>2</sup> (1280 pies<sup>2</sup>) para suelos livianos arenosos.

ANTES de sembrar: Brócoli, repolitos de Bruselas, repollo, zanahorias, coliflor, apio, berzas, alubias, arvejas de campo, arvejas, col rizada, lentejas, frijoles, mostaza parda, quingombó, rábanos, arvejas del sur (caupi), ejotes, hojas de nabo

DESPUÉS de sembrar o trasplantar: Melones, pepinos, sandías. Aplique después de que las plantas hayan desarrollado 5 o más hojas.

DESPUÉS de plantar: papas: puede aplicarlo después de plantar, antes o después de que la planta haya brotado. Téngalo cuidado de no dañar las semillas al cultivarlas ni permita que el suelo tratado entre en contacto con el follaje de la planta que brotó.

ANTES de trasplantar: Apio, brócoli, repolitos de Bruselas, repollo, coliflor, berenjena, pimientos, cebollas, tomates. Hortalizas perennes: espárragos. Aplíquelo antes de que la planta brote.

## Se recomienda usar el controlador de malezas de jardín Preen alrededor de las siguientes plantas crecidas:

### BULBOS, FLORES, CUBIERTAS VEGETALES Y CÉSPEDES ORNAMENTALES

Hipérico  
Aliso  
Artois  
Aster (perenne)  
Stokesia  
Alimento de bebé  
Bálsamo  
Penstemon  
Bergamota silvestre  
Begonia  
Campanilla  
Rudbeckia  
Dicentra  
Pistacho chino  
Caléndula  
Calliopsis  
Gazania amarilla  
Cárex variegado  
Clavel  
Bugía (Ajuga)  
Ceanoto  
Centaura gymnocarpa  
Crisantemo  
Equisetacea púrpura  
Heuchera  
Coreopsis  
Aciano púrpura  
Cosmos  
Cotoneaster  
Arbusto coyote enano  
Coronilla varia

Narciso  
Dalia  
Margarita: Africana, pintada, Shasta, africana rastrera  
Hemerocallis  
Descampsia  
Clavel  
Sancho ciliararia  
Esparraguera  
Festuca azul  
Agerato (Ageratum)  
Nemolvidas  
Dondiego  
Dedadera  
Gallardia  
Liatris  
Gazania  
Geranio  
Camedrio  
Hierba del clavo  
Gladiolo (bulbo de más de 2,5 cm de diámetro)  
Rudbeckia amplia  
Césped: Barrón, convalaria enana, eulalia, Penstemon chino, zoyisa tenuifolia, convalaria, hierba de la pampa, falaria, zoyisa  
Guara  
Hakonechloa Golden  
Malva real Hosta

Albo-marginata Jacinto  
Delosperma: De hoja grande, rastrera, rosa rastrera, blanca  
Alegría de la casa, lirio  
Bulboso hiedra: De Argelia, de California, inglesa, punta de aguja  
Ixora jazmin: Angelwing, Asaan  
Oreja de conejo lavanda, Iriopie: Big Blue, Green/rastrero, Lilac Beauty, Magestic, Silvery Sunproof, variegado, blanco  
Azucena del Nilo  
Lobelia  
Lupino (Lupinus)  
Maravilla  
Caléndula del Cabo (Dimorphotheca)  
Dondiego de día  
Miopeo  
Narciso  
Tabaco ornamental  
Onagra  
Vinca (vinca)  
Peter Pan enano  
Petunia  
Flox  
Escabiosa (Scabiosa)  
Celestina enana

Amapola California  
Portulaca  
Jara  
Rosa  
Rudbeckia  
Herniaria  
Salvia  
Ajonjolí  
Cabeza de dragón  
Cerasio  
Nieve en la montaña  
Verónica  
Diamante  
Hierba de San Juan  
Estático  
Alamo  
Ciprés: de Arizona, calvo, filicoides Fern Spray, Hinoki  
Gracilis Slender, Squarrosa-moss, falso Swara  
Cornojo: Cloud Nine, en floración, Kousa  
Olmo chino  
Eucalipto: Mealy, Redgum, Red Ironbark, Silver Dollar

Robira  
Rosa  
Rosa Ramanas  
Rosa de Siria: Heart, Red Bird, Woodbridge  
Sakaki  
Elaeagnus  
Esquimia: Japonesa, Reeve's  
Árbol del humo: Royal Purple, Coral

Robira  
Rosa  
Rosa Ramanas  
Rosa de Siria: Heart, Red Bird, Woodbridge  
Sakaki  
Elaeagnus  
Esquimia: Japonesa, Reeve's  
Árbol del humo: Royal Purple, Coral

Robira  
Rosa  
Rosa Ramanas  
Rosa de Siria: Heart, Red Bird, Woodbridge  
Sakaki  
Elaeagnus  
Esquimia: Japonesa, Reeve's  
Árbol del humo: Royal Purple, Coral

Robira  
Rosa  
Rosa Ramanas  
Rosa de Siria: Heart, Red Bird, Woodbridge  
Sakaki  
Elaeagnus  
Esquimia: Japonesa, Reeve's  
Árbol del humo: Royal Purple, Coral

Arbustos  
Abelia: Edward Goucher, Glossy  
Acacia: Abisinia, redolens, Shoestring  
Andrómeda japonesa Tuyá:  
Americana, Aureus nana  
Golden enana, Emerald, globosa, Little Giant enana, azul enana, americana  
Nigradarf, Piramidalis, Rheiingold, Tachym  
Azalea Bambú: Compacto enano, divino Harbour enano, divino, divino compacto enano, divino púrpura enano, divino Woods enano  
Agracejo rojo: Japonés atropurpurea, japonés Aurea-golden, Craymson Pygmy, japonés, Mento, Rose Glow, William Penn  
Limpiatubos: Lemon, Ilorón

Bugambilia Barbara Gold, California Gold, Pink Pixie, Scarlett O'Hara, Temple Fire, Texas Dawn  
Boj: Común, Harlands, japonés, coreano, Littleleaf  
Retama: Hollandiawaminster, Lena-Scotch  
Camelia: Japonesa, Sasanqua  
Casia plumosa, Agave americano  
Cerezo: Laurel de Carolina, Pink Flowering Almond enano  
Cincoanama, Clereya  
Cotoneaster: Bearberry, Cranberry, Himalayan, Praecoxearly, Pyrenees, Rock, Zabel  
Arbusto coyote Ciprés: filifera roscada, kostert, hinoki, nandina enana, torulosa  
Daphne olorosa Deucia  
Cornojo: osier bailey rojo, flavirameayellowtwig,

sibirica-siberian Eleagno  
Evinimo: Canadale, Emerald'n gold, Silver King, Spreading, Sunspot, Evergreen variegado, Winged, Wintercreeper  
Helecho: Tassel, pintado japonés  
Espinas de fuego (Pyracantha)  
Forsitia Gardenia: August Beauty, Mystery, Radican  
Fejloja Espino indio Brezo: Cornish, Purple Bell, Mediterranean Pink, Spring Torch Scotch  
Hibisco Ross Estey Lonicura: Del Cabo, Trumpet  
Dodonea  
Ixora  
Jazmin de Carolina  
Junipero  
Lantana  
Lauriel: Cerezo americano, de

montaña  
Hoja: Copper, Salal/lemon  
Leucothoe: Coast, Drooping  
Lila: Común, china, silvestre  
Azucena del valle: Forest flame, Mountain Fire, Snowdrift, Templebells, Valley Rose, Valley Valentine  
Mahonia: Rastrera, hoja de cuero  
Arce: Amur, japonés Coral Bark, japonés enano  
Mirto Mock Orange: Árbol de Júpiter, del pantano  
Adelfa: Hardy Red, Ruby Lace  
Osmanthus fortunei  
Palma: Areca, Chinese Fountain, Christmas, Pigmy Date, Sago  
Hortinia, Fraser's  
Pieris japonica  
Pine, Mugho-mugho  
Pittosporum: Verde, japonés, Wheeler's

Robira  
Rosa  
Rosa Ramanas  
Rosa de Siria: Heart, Red Bird, Woodbridge  
Sakaki  
Elaeagnus  
Esquimia: Japonesa, Reeve's  
Árbol del humo: Royal Purple, Coral

Robira  
Rosa  
Rosa Ramanas  
Rosa de Siria: Heart, Red Bird, Woodbridge  
Sakaki  
Elaeagnus  
Esquimia: Japonesa, Reeve's  
Árbol del humo: Royal Purple, Coral

Robira  
Rosa  
Rosa Ramanas  
Rosa de Siria: Heart, Red Bird, Woodbridge  
Sakaki  
Elaeagnus  
Esquimia: Japonesa, Reeve's  
Árbol del humo: Royal Purple, Coral

Robira  
Rosa  
Rosa Ramanas  
Rosa de Siria: Heart, Red Bird, Woodbridge  
Sakaki  
Elaeagnus  
Esquimia: Japonesa, Reeve's  
Árbol del humo: Royal Purple, Coral

### FRUTAS Y HORTALIZAS

Esparraños  
Brócoli  
Alubias  
Repollos de Bruselas  
Rapollo  
Melones

Zanahorias  
Coliflor  
Apio  
Berza  
Pepinos  
Berenjena  
Arvejas de campo

Arvejas  
Col  
Lentejas  
Frijoles  
Mostaza parda  
Cebollas  
Pimientos

### ARBOLÉS Y PLANTAS QUE NO PRODUCEN FRUTOS O FRUTOS SECOS: †

Almendra  
Manzano  
Albaricoquero  
Aguate  
Banano  
Moral negro  
Arándano azul  
Aragarbo  
Cerezo: Dulce, agrio  
Castaño chino

Manzano silvestre  
Currant  
Zarza  
Saúco rojo  
Higuera  
Avellano  
Grosellero  
Parrá: Americana, europea  
Pomelo

Kiwi  
Limonero  
Frambueso de Logan  
Nagal de macadamia  
Moral blanco  
Nectarino  
Oliivo: Negro, ruso Anaranjado  
Melocotonero  
Peral

Pecan  
Pistacho  
Ciruelo  
Granado  
Gudíón  
Frambuesa  
Tangelo  
Mandarino  
Nagal: Negro, inglés

† Los árboles y plantas que no producen frutos ni frutos secos se definen como plantas que no producirán frutos por al menos un año después del tratamiento.

## Declaraciones de precaución

### RIESGOS PARA SERES HUMANOS Y ANIMALES DOMÉSTICOS

# PRECAUCIÓN

Causa (provoca) una irritación ocular moderada. El producto es nocivo si se ingiere, inhala o se absorbe a través de la piel. Evite el contacto con los ojos, la piel o la ropa. Si el pesticida traspasa la ropa, el usuario debe quitársela de inmediato. Luego, debe lavarse bien y colocarse ropa limpia. En algunas personas, el contacto prolongado o frecuente con la piel puede provocar reacciones alérgicas. Lávese las manos antes de comer, beber, masticar chicle, usar tabaco o usar el inodoro.

## Primeros auxilios

<b>Si entra en contacto con los ojos</b>	<ul style="list-style-type: none"><li>• Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos.</li><li>• Si usa lentes de contacto, retírelas después de los primeros 5 minutos; luego continúe enjuagando los ojos</li><li>• Llame a un centro de control de envenenamientos o a un médico para obtener instrucciones de tratamiento.</li></ul>
<b>Si se ingiere</b>	<ul style="list-style-type: none"><li>• Llame de inmediato a un centro de control de envenenamientos o a un médico para obtener instrucciones de tratamiento.</li><li>• Si la persona puede tragar, haga que beba a tragos un vaso de agua.</li><li>• No induzca el vómito, a menos que se lo indique un médico o el centro de control de envenenamientos.</li><li>• Jamás administre nada por la boca a una persona que haya perdido el conocimiento.</li></ul>
<b>Si está en la piel o en la ropa:</b>	<ul style="list-style-type: none"><li>• Quitese la ropa contaminada.</li><li>• Enjuague la piel inmediatamente con bastante agua por 15-20 minutos.</li><li>• Llame a un centro de control de envenenamientos o a un médico para obtener instrucciones de tratamiento.</li></ul>
<b>Si se inhala:</b>	<ul style="list-style-type: none"><li>• Lleve a la persona a un lugar con aire fresco.</li><li>• Si la persona no respira, llame al 911 o a una ambulancia y luego administre respiración artificial preferentemente de boca a boca si es posible.</li><li>• Llame a un centro de control de envenenamientos o a un médico para obtener más instrucciones de tratamiento.</li></ul>

Cuando llame a un centro de control de envenenamientos o a un médico, o busque tratamiento, tenga a mano el envase o la etiqueta del producto. Para obtener información sobre emergencias médicas, llame al (888) 208-1368.

## Riesgos ambientales

Este pesticida es extremadamente tóxico para la vida acuática de agua dulce, peces de estuario e invertebrados acuáticos, incluidos camarones y ostras. No lo aplique directamente en el agua. No lo aplique de manera que pueda contaminar canales, lagos, arroyos, charcos, pantanos o estuarios debido a la dispersión o el escurrimiento. No contamine el agua al eliminar el agua con la que limpió o enjuagó el producto. Para proteger el medio ambiente, no permita que el pesticida entre o escurra hacia desagües pluviales, zanjas de desagüe, alcantarillas ni aguas superficiales. Aplicar este producto en un clima tranquilo ayudará a asegurar que el viento no esparza el pesticida fuera del área de tratamiento. Barra el producto que caiga sobre una entrada de garaje, acera o calle llevándolo de vuelta al área tratada del jardín para evitar que se escurra hacia masas de aguas o sistemas de drenaje.

## Cómo aplicar el controlador de malezas de jardín Preen

Para evitar daños a las plantas, no aplique el controlador de malezas de jardín Preen cuando el follaje esté mojado. Cuando las plantas estén secas, rocíe el controlador de malezas de jardín Preen en la superficie del suelo, según las proporciones que se indican abajo para su situación específica. Una vez que se haya activado mediante el riego o su incorporación al suelo, el controlador de malezas de jardín Preen forma una barrera de control de maleza en la capa superior del suelo, lo que evita que las semillas de malezas germinen. La alteración de la superficie del suelo después de la activación puede perjudicar el resultado del control de maleza. La lluvia no elimina este producto del suelo. Vuelva a aplicar el controlador de malezas de jardín Preen cada 9 o 12 semanas.

## Instrucciones de recarga

Este recipiente con tapa del aplicador es reutilizable con Preen malezas de jardines. Volver a llenar el recipiente con la cantidad deseada de este producto y utilizar como se indica. Cuando haya terminado, almacenar o deshacerse de este contenedor como se indica en la etiqueta.

## Almacenaje y eliminación

No contamine el agua, alimentos o forraje por almacenamiento y eliminación. **Almacenamiento del pesticida:** Guarde el producto en su envase original en un lugar fresco, seco y bajo llave fuera del alcance de los niños y los animales. **Plaguidas de uso y manipulación de contenedores:** contenedores no se puede rellenar. No vuelva a usar ni rellene este envase, excepto como se describe en las INSTRUCCIONES DE USO (vea las instrucciones de recarga). **Si está vacío:** Colóquelo en la basura o entregarlo para reciclar si está disponible. **Si está parcialmente lleno:** Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca coloque el producto no utilizado en ningún drenaje interior o exterior.

## Garantía

NOTA: En la medida que lo permita la ley vigente, el comprador asume toda la responsabilidad por la seguridad y el desempeño si este producto no se usa de acuerdo con las indicaciones.

Mantenga el producto fuera del alcance de los niños

# PRECAUCIÓN

Consulte el panel posterior para obtener información sobre primeros auxilios y otras declaraciones de precaución adicionales.

**Peso Neto: 2,8 kg (6.25 lbs.)**

**CUBRE 92,6 m<sup>2</sup>**

Preen® es una marca registrada de Lebanon Seaboard Corporation.

Manufactured by | Fabricado por:  
Lebanon Seaboard Corporation 1600 East Cumberland Street, Lebanon, PA 17042

Incluye pala de aplicación

DETIENE LAS MALEZAS ANTES DE QUE APAREZCAN

\*Consulte las instrucciones de uso para ver una lista completa de las malezas que trata.

INGREDIENTE ACTIVO:

Trifluralina . . . . . 1,47%

OTROS INGREDIENTES: . . . . . 98,53%

TOTAL . . . . . 100,00%

CAS No. 1582-09-8

EPA Reg. No.961-280

(L) (D)

EPA Est. No. 961-PA-01:961-IL-01

El superíndice usado es la primera letra del número de lote.